

LQH43NN151J03L Datasheet

DiGi Electronics Part Number

Manufacturer Product Number

Manufacturer

Description

Detailed Description

LQH43NN151J03L-DG

Murata Electronics

LQH43NN151J03L

FIXED IND 150UH 130MA 3.70HM SMD

r 130 mA 3.70hm Max 1812 (4532 Metric)

150 µH Unshielded Drum Core, Wirewound Inducto

www.digi-electronics.com





https://www.DiGi-Electronics.com

0

Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
LQH43NN151J03L	Murata Electronics
Series:	Product Status:
LQH43	Discontinued at Digi-Key
Туре:	Material - Core:
Drum Core, Wirewound	Ferrite
Inductance:	Tolerance:
150 μΗ	±5%
Current Rating (Amps):	Current - Saturation (Isat):
130 mA	
Shielding:	DC Resistance (DCR):
Unshielded	3.70hm Max
Q @ Freq:	Frequency - Self Resonant:
40 @ 796kHz	5.5MHz
Ratings:	Operating Temperature:
	-40°C ~ 105°C
Inductance Frequency - Test:	Mounting Type:
1 MHz	Surface Mount
Package / Case:	Supplier Device Package:
1812 (4532 Metric)	1812 (4532 Metric)
Size / Dimension:	Height - Seated (Max):
0.177" L x 0.126" W (4.50mm x 3.20mm)	0.110" (2.80mm)
Base Product Number:	
LQH43NN	

Environmental & Export classification

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	
8504.50.8000	

Reference Only

P1/10

CHIP COIL (CHIP INDUCTOR) for Consumer equipment & Industrial equipment LQH43NNDDD03L REFERENCE SPECIFICATION

1. Scope

This reference specification applies to chip coil (chip Inductor) LQH43NN series.

1.1 Specific applications:

- Power equipment: Products that can be used in power equipment such as renewable energy equipment, energy storage
 equipment and EV charging equipment and whose functions are not directly related to the protection of human life and
 property.
- Industrial equipment: Products that can be used in industrial equipment such as base stations, manufacturing equipment, industrial robotics equipment, and measurement equipment, and whose functions do not directly relate to the protection of human life and property.
- Medical equipment (GHTF Class C) *Except for implant/surgery/auto injector: Products that can be used for medical equipment of Class C of the international classification class GHTF and whose malfunction is considered to pose a relatively high risk to the human body.
- Medical equipment (GHTF Class A and B): Products that can be used for medical equipment regulated by Class A and Class B of the international classification class GHTF and whose functions do not directly relate to the protection of human life and property.
- Consumer equipment: Products that can be used in consumer equipment such as home appliances, audio/visual equipment, communication equipment, information equipment, office equipment, and household robotics, and whose functions are not directly related to the protection of human life and property.

1.2 Unsuitable application:

Applications listed in "Limitation of applications" in this reference specification.

WE DISCLAIM ANY LOSS AND DAMAGES ARISING FROM OR IN CONNECTION WITH THE PRODUCTS INCLUDING BUT NOT LIMITED TO THE CASE SUCH LOSS AND DAMAGES CAUSED BY THE UNEXPECTED ACCIDENT, IN EVENT THAT THE PRODUCT IS APPLIED FOR THE PURPOSE WHICH IS SPECIFIED ABOVE AS THE UNSUITABLE APPLICATION FOR THE PRODUCT.

2.Part Numbering

(ex)	LQ	<u>H</u>	43	N	N	1R0	M	0	3	L
	Product ID	Structure	Dimension (L×W)	Applications and Characteris	0,	Inductance	Tolerance	Features	Electrode	Packaging L:Taping

3.Rating

Operating Temperature Range
 -40 to +105°C
 Storage Temperature Range
 -40 to +105°C

Storage Temperature Range -40 to +105 C																
Customer's	MURATA	Inductance		0	DC	Self Resonant	*Rated									
Part Number	Part Number	(μH)	Tolerance (%)	Q (min.)	Resistance (Ω max)	Frequency (MHz min)	Current (mA)									
	LQH43NN1R0M03L	43NN1R0M03L 1.0		0.00	120											
	LQH43NN1R2M03L	1.2			0.20	100										
	LQH43NN1R5M03L	1.5				85										
	LQH43NN1R8M03L	1.8	M. 100	00	0.30	75										
	LQH43NN2R2M03L	2.2	M:±20	M:±20	M:±20	20		62								
	LQH43NN2R7M03L	2.7												0.32	53	500
	LQH43NN3R3M03L	3.3						0.35	47	300						
	LQH43NN3R9M03L	3.9			0.38	41										
	LQH43NN4R7M03L	4.7			0.40	38										
	LQH43NN4R7K03L	4.7			0.40	30										
	LQH43NN5R6M03L	5.6			0.47	33										
	LQH43NN5R6K03L	5.0	M:±20	30	0.47											
	LQH43NN6R8M03L	6.8	K:±10	50	0.50	31										
	LQH43NN6R8K03L	0.0			0.00	01	450									
	LQH43NN8R2M03L	8.2				27	-100									
	LQH43NN8R2K03L	0.2			0.56											
	LQH43NN100K03L	10	K:±10	35	0.00	23	400									
	LQH43NN100J03L	.0	J:± 5	00		20	-100									

Reference Only

P2/10

Customer's	MURATA	Indu	ictance	Q	DC	Self Resonant	*Rated
Part Number	Part Number	(μH)	Tolerance (%)	(min.)	Resistance (Ω max)	Frequency (MHz min)	Current (mA)
	LQH43NN120K03L	12			0.62	21	380
	LQH43NN120J03L	12	_		0.02	21	300
	LQH43NN150K03L	15			0.73	19	360
	LQH43NN150J03L	10	-		0.70	10	000
	LQH43NN180K03L	18			0.82	17	340
	LQH43NN180J03L	10	-		0.02		010
	LQH43NN220K03L	22			0.94	15	320
	LQH43NN220J03L						
	LQH43NN270K03L	27			1.1	14	300
	LQH43NN270J03L		-				
	LQH43NN330K03L LQH43NN330J03L	33		35	1.2	12	270
	LQH43NN390K03L		-				
	LQH43NN390J03L	39			1.4	11	240
	LQH43NN470K03L						
	LQH43NN470J03L	47			1.5	10	220
	LQH43NN560K03L		-				
	LQH43NN560J03L	56			1.7	9.3	200
	LQH43NN680K03L		-				
	LQH43NN680J03L	68			1.9	8.4	180
	LQH43NN820K03L		-				
	LQH43NN820J03L	82			2.2	7.5	170
	LQH43NN101K03L	400			0.5		100
	LQH43NN101J03L	100	K:±10		2.5	6.8	160
	LQH43NN121K03L	100	J:± 5		2.0	6.2	150
	LQH43NN121J03L	120			3.0	0.2	150
	LQH43NN151K03L	150			3.7	5.5	130
	LQH43NN151J03L	150	_		3.7	5.5	130
	LQH43NN181K03L	180			4.5	5.0	120
	LQH43NN181J03L	100	_		4.5	5.0	120
	LQH43NN221K03L	220			5.4	4.5	110
	LQH43NN221J03L	220	-		0.4	т.0	110
	LQH43NN271K03L	270			6.8	4.0	100
	LQH43NN271J03L		-				
	LQH43NN331K03L	330		40	8.2	3.6	95
	LQH43NN331J03L	-	-	-		-	-
	LQH43NN391K03L	390			9.7	3.3	90
			-				
	LQH43NN471K03L LQH43NN471J03L	470			11.8	3.0	80
	LQH43NN471J03L LQH43NN561K03L		-				
	LQH43NN561J03L	560			14.5	2.7	70
	LQH43NN681K03L						
	LQH43NN681J03L	680			17.0	2.5	65
	LQH43NN821K03L						
	LQH43NN821J03L	820			20.5	2.2	60
	LQH43NN102K03L		1				
	LQH43NN102J03L	1000			25.0	2.0	50

MURATA MFG.CO., LTD

Reference Only

P3/10

Customer's	MURATA	Inductance		Q	DC	Self Resonant	*Rated
Part Number	Part Number	(μH) 1200	Tolerance (%)	(min.)	Resistance (Ω max)	Frequency (MHz min)	Current (mA)
	LQH43NN122K03L	1000					15
	LQH43NN122J03L	1200			30.0	1.8	45
	LQH43NN152K03L						
	LQH43NN152J03L	1500			37.0	1.6	40
	LQH43NN182K03L	1000	K:±10	40	45.0	4 F	25
	LQH43NN182J03L	1800	J:± 5	40	45.0	1.5	35
	LQH43NN222K03L				50.0	1.0	
	LQH43NN222J03L	2200			50.0	1.3	30
	LQH43NN242K03L					1.0	
	LQH43NN242J03L	2400			53.0	1.2	25

*When applied Rated current to the Products , self temperature rise shall be limited to 20°C max and Inductance will be within ±10% of initial Inductance value.

4. Testing Conditions

<Unless otherwise specified>


Temperature : Ordinary Temperature (15 to 35°C) Humidity

: Ordinary Humidity (25 to 85 %(RH))

<In case of doubt> Temperature : 20 ± 2°C

Humidity : 60 to 70 %(RH) Atmospheric Pressure : 86 to 106 kPa

5. Appearance and Dimensions (No marking)



■Unit Mass (Typical value)
0.13g

6.Electrical Performance

No.	Item	Specification	Test Method
6.1	Inductance	Inductance shall meet item 3.	Measuring Equipment: Keysight 4192A or equivalent Measuring Frequency: 1MHz / 1.0 to 390µH 1kHz / 470 to 2400µH
6.2	Q		Measuring Equipment: Keysight 4192A or equivalent Measuring Frequency: 1MHz / 1.0 to 82µH 796kHz / 100 to 820µH 252kHz / 1000 to 2400 µH
6.3	DC Resistance	DC Resistance shall meet item 3.	Measuring Equipment:Digital multi meter
6.4	Self Resonant Frequency(S.R.F)	S.R.F shall meet item 3.	Measuring Equipment: Keysight 4991A or equivalent
6.5	Rated Current	Self temperaturer rise shall be limited to 20°C max. Inductance Change : within ± 10%	The rated current is applied.

MURATA MFG.CO., LTD

Reference Only

7.Mechanical Performance

No.	Item	Specification	Test Method
7.1	Shear Test	Chip coil shall not be damaged.	Substrate: Glass-epoxy substrate Applied Direction : Chip Coil
7.2	Bending Test		Force : 5N Substrate Hold Duration: 5±1 s Substrate: Glass-epoxy substrate (100 × 40 × 1.6mm) Speed of Applying Force: 1mm / s
			Deflection: 2mm Hold Duration: 5 s $F^{\text{Pressure jig}}$ $F \rightarrow F^{\text{Deflection}}$ $45 \rightarrow 45$ P^{reduct} (in mm)
7.3	Vibration		Oscillation Frequency: 10 to 55 to 10Hz for 1 minute Total Amplitude: 1.5mm Testing Time: A period of 2 hours in each of 3 mutually perpendicular directions. (Total 6 hours)
7.4	Solderability	The wetting area of the electrode shall be at least 90% covered with new solder coating.	Flux: Ethanol solution of rosin,25(wt)% (Immersed for 5s to 10s) Solder: Sn-3.0Ag-0.5Cu Pre-Heating: 150±10°C / 60 to 90seconds Solder Temperature: 240±5°C Immersion Time: 3±1 s

8.Environmental Performance (It shall be soldered on the substrate.)


No.	Item	Specification	Test Method
8.1	Heat Resistance	Appearance:No damage Inductance Change : within ±5% Q-factor Change : within ±20%	Temperature: $105\pm2^{\circ}$ C Time: $1000\pm_{0}^{48}$ hours Then measured after exposure in the room condition for 24±2 hours.
8.2	Cold Resistance		Temperature: $-40\pm2^{\circ}$ C Time: $1000\pm_{0}^{48}$ hours Then measured after exposure in the room condition for 24±2 hours.
8.3	Humidity		Temperature: $85\pm2^{\circ}$ C Humidity: 80 to 85% (RH) Time: $1000\pm_{0}^{48}$ hours Then measured after exposure in the room condition for 24 ± 2 hours.
8.4	Temperature Cycle		1 cycle: step 1 : -40±2°C / 30±3 min step 2 : Ordinary temp. / 10 to 15 min step 3 : +105±2°C / 30±3 min step 4 : Ordinary temp. / 10 to 15 min Total of 10 cycles Then measured after exposure in the room condition for 24±2 hours.



P5/10

9. Specification of Packaging

9.1 Appearance and Dimensions of plastic tape



Dimension of the Cavity is measured at the bottom side.

9.2 Specification of Taping

(1) Packing quantity (standard quantity)


- 500 pcs / reel
- (2) Packing Method
- Products shall be packed in the each embossed cavity of plastic tape and sealed by cover tape. (3) Sprocket hole
 - The sprocket holes are to the right as the tape is pulled toward the user.
- (4) Spliced point
 - Plastic tape and Cover tape has no spliced point.
- (5) Missing components number


Missing components number within 0.025 % of the number per reel or 1 pc., whichever is greater, and are not continuous. The specified quantity per reel is kept.

9.3 Pull Strength

Embossed carrier tape	10N min.
Cover tape	5N min.


9.4 Peeling off force of cover tape





9.5 Dimensions of Leader-tape, Trailer and Reel

There shall be leader-tape (cover tape) and trailer-tape (empty tape) as follows.





9.6 Marking for reel

Customer part number, MURATA part number, Inspection number(*1), RoHS marking(*2), Quantity etc ···

*1) <expression inspection="" no.="" of=""></expression>	<u> </u>	<u>00 ×</u>	XX
	(1)	(2)	(3)

(1) Factory Code
(2) Date First digit : Year / Last digit of year

Second digit : Month / Jan. to Sep. 1 to 9, Oct. to Dec. O, N, D Third, Fourth digit : Day

(3) Serial No.

*2) « Expression of RoHS marking » ROHS – \underline{Y} ($\underline{\triangle}$)


(1) (2)

(1) RoHS regulation conformity parts.(2) MURATA classification number

9.7 Marking for Outside package (corrugated paper box)

Customer name, Purchasing order number, Customer part number, MURATA part number, RoHS marking (*2) ,Quantity, etc ····

9.8. Specification of Outer Case



Outer Case Dimensions (mm)		nsions	Standard Reel Quantity in Outer Case (Reel)
W	D	Н	
186	186	93	5

*Above Outer Case size is typical. It depends on a quantity of an order

10. 🛆 Caution

10.1 Limitation of Applications

The products listed in the reference specification (hereinafter the product(s) is called as the "Product(s)") are designed and manufactured for applications specified in the reference specification (hereinafter called as the "Specific Application").

We shall not warrant anything in connection with the Products including fitness, performance, adequateness, safety, or quality, in the case of applications listed in from (1) to (11) written at the end of this precautions, which may generally require high performance, function, quality, management of production or safety. Therefore, the Product shall be applied in compliance with the specific application.

WE DISCLAIM ANY LOSS AND DAMAGES ARISING FROM OR IN CONNECTION WITH THE PRODUCTS INCLUDING BUT NOT LIMITED TO THE CASE SUCH LOSS AND DAMAGES CAUSED BY THE UNEXPECTED ACCIDENT, IN EVENT THAT (i) THE PRODUCT IS APPLIED FOR THE PURPOSE WHICH IS NOT SPECIFIED AS THE SPECIFIC APPLICATION FOR THE PRODUCT, AND/OR (ii) THE PRODUCT IS APPLIED FOR ANY FOLLOWING APPLICATION PURPOSES FROM (1) TO (11) (EXCEPT THAT SUCH APPLICATION PURPOSE IS UNAMBIGUOUSLY SPECIFIED AS SPECIFIC APPLICATION FOR THE PRODUCT IN OUR CATALOG SPECIFICATION FORMS, DATASHEETS, OR OTHER DOCUMENTS OFFICIALLY ISSUED BY US*).

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Power plant control equipment
- (5) Medical equipment
- (6) Transportation equipment
- (7) Traffic control equipment
- (8) Disaster prevention/security equipment
- (9) Industrial data-processing equipment
- (10) Combustion/explosion control equipment
- (11) Equipment with complexity and/or required reliability equivalent to the applications listed in the above.

For exploring information of the Products which will be compatible with the particular purpose other than those specified in the reference specification, please contact our sales offices, distribution agents, or trading companies with which you make a deal, or via our web contact form.

Contact form: https://www.murata.com/contactform

* We may design and manufacture particular Products for applications listed in (1) to (11). Provided that, in such case we shall unambiguously specify such Specific Application in the reference specification without any exception. Therefore, any other documents and/or performances, whether exist or non-exist, shall not be deemed as the evidence to imply that we accept the applications listed in (1) to (11).

P6/10

Reference Only

P7/10

а

10.2 Corrosive gas

Please refrain from use since contact with environments with corrosive gases (sulfur gas [hydrogen sulfide, sulfur dioxide, etc.], chlorine, ammonia, etc.) or oils (cutting oil, silicone oil, etc.) that have come into contact with the previously stated corrosive gas environment will result in deterioration of product quality or an open from deterioration due

11. Notice

This product is designed for solder mounting.


Please consult us in advance for applying other mounting method such as conductive adhesive.

11.1 Land pattern designing

Recommended land patterns for reflow soldering are as follows:

These have been designed for Electric characteristics and solderability.

Please follow the recommended patterns. Otherwise, their performance which includes electrical performance or solderability may be affected, or result to "position shift" in soldering process.



(in mm)

11.2 Flux, Solder

Flux	 Use rosin-based flux. Don't use highly acidic flux with halide content exceeding 0.2(wt)% (chlorine conversion value). Don't use water-soluble flux.
Solder	 Use Sn-3.0Ag-0.5Cu solder Standard thickness of solder paste : 200µm to 300µm

Other flux (except above) Please contact us for details, then use.




P8/10

11.3 Soldering conditions (Reflow)

- Pre-heating should be in such a way that the temperature difference between solder and product surface is limited to 150°C max. Cooling into solvent after soldering also should be in such a way that the temperature difference is limited to 100°C max.
- Insufficient pre-heating may cause cracks on the product, resulting in the deterioration of product quality. • Standard soldering profile and the limit soldering profile is as follows.
- The excessive limit soldering conditions may cause leaching of the electrode and / or resulting in the deterioration of product quality.

Soldering profile

Reflow soldering profile



	Standard Profile	Limit Profile	
Pre-heating	150~180°C 、90s±30s		
Heating	above 220°C、30s~60s	above 230°C、60s max.	
Peak temperature	245±3°C	260°C,10s	
Cycle of reflow	2 times	2 time	

11.4 Reworking with soldering iron.


The following conditions must be strictly followed when using a soldering iron.

Pre-heating	150°C,1 min	
Tip temperature	350°C max.	
Soldering iron output	80W max.	
Tip diameter	ϕ 3mm max.	
Soldering time	3(+1,-0)s	
Times	2 times	

Note : Do not directly touch the products with the tip of the soldering iron in order to prevent the crack on the products due to the thermal shock.

11.5 Solder Volume

- · Solder shall be used not to be exceeded the upper limits as shown below.
- Accordingly increasing the solder volume, the mechanical stress to Chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance.



1/3T≦t≦T (T: Lower flange thickness)


Reference Only

P9/10

11.6 Product's location

The following shall be considered when designing and laying out P.C.B.'s.

(1) P.C.B. shall be designed so that products are not subject to the mechanical stress due to warping the board.




Products (A,B,C,D) shall be located carefully so

that products are not subject to the mechanical

Because they may be subjected the mechanical

Products shall be located in the sideways direction (Length:a b) to the mechanical stress.



11.7 Cleaning Conditions

Products shall be cleaned on the following conditions.

- (1) Cleaning temperature shall be limited to 60°C max.(40°C max for IPA.)
- (2) Ultrasonic cleaning shall comply with the following conditions with avoiding the resonance phenomenon at the mounted products and P.C.B.
- Power : 20 W /I max. Frequency : 28kHz to 40kHz Time : 5 minutes max. (3) Cleaner
 - 1. Alternative cleaner
 - ·Isopropyl alcohol (IPA)

(2) Products location on P.C.B. separation

stress due to warping the board.

stress in order of A C $B \cong D$.

- 2. Aqueous agent
 - •PINE ALPHA ST-100S
- (4) There shall be no residual flux and residual cleaner after cleaning.

In the case of using aqueous agent, products shall be dried completely after rinse with de-ionized water in order to remove the cleaner.

(5) Other cleaning

Please contact us.

11.8 Resin coating

The inductance value may change due to high cure-stress of resin to be used for coating/molding products. An open circuit issue may occur by mechanical stress caused by the resin, amount/cured shape of resin, or operating condition etc. Some resin contains some impurities or chloride possible to generate chlorine by hydrolysis under some operating condition may cause corrosion of wire of coil, leading to open circuit. So, please pay your careful attention when you select resin in case of coating/molding the products with the resin. Prior to use the coating resin, please make sure no reliability issue is observed by evaluating products mounted on your board.

11.9 Caution for use

- Sharp material such as a pair of tweezers or other material such as bristles of cleaning brush, shall not be touched to the winding portion to prevent the breaking of wire.
- · Mechanical shock should not be applied to the products mounted on the board to prevent the breaking of the core.

11.10 Handling of a substrate

After mounting products on a substrate, do not apply any stress to the product caused by bending or twisting to the substrate when cropping the substrate, inserting and removing a connector from the substrate or tightening screw to the substrate.

Excessive mechanical stress may cause cracking in the product.

Bending

Twisting

1-11



P10/10

11.11 Storage and Handling Requirements

- (1) Storage period
 - Use the products within 12 months after delivered.

Solderability should be checked if this period is exceeded.

- (2) Storage conditions
 - Products should be stored in the warehouse on the following conditions.
 - Temperature : -10 ~ 40°C
 - Humidity : 15 to 85% relative humidity No rapid change on temperature and humidity
 - The electrode of the products is coated with solder. Don't keep products in corrosive gases such as sulfur, chlorine gas or acid, or it may cause oxidization of electrode, resulting in poor solderability.
 - Products should not be stored on bulk packaging condition to prevent the chipping of the core and the breaking of winding wire caused by the collision between the products.
 - Products should be stored on the palette for the prevention of the influence from humidity, dust and so on.
 - Products should be stored in the warehouse without heat shock, vibration, direct sunlight and so on.
- (3) Handling Condition
 - Care should be taken when transporting or handling product to avoid excessive vibration or mechanical shock.

12. \land Note

- (1) Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- (2) You are requested not to use our product deviating from the reference specifications.
- (3) The contents of this reference specification are subject to change without advance notice. Please approve our product specifications or transact the approval sheet for product specifications before ordering.



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

DCI	DCI		
QUALITY MANAGEMENT SYSTEM CERTIFICATE	ENVIRONMENTAL MANAGEMENT SYSTEM CERTIFICATE	OCCUPATIONAL HEALTH & SAFETY MANAGEMENT SYSTEM CERTIFICATE	の可能可能可能 CERTIFICATE OF INCORPORATION
DIGI ELECTRONICS HK LIMITED	DIGI ELECTRONICS HK LIMITED	DIGI ELECTRONICS HK LIMITED	A. A. B. A. B. W. Hannelity and By that
RATINGS SHE IN HIS COMMERCIAL EXTREMENTAL AND STREET, MONGHO	PLATENTS 207, HO HOR COMMITTEE CALLES HAVE VER CHEET, MONORO	FLATENUE 267, HO HOUS CONVERTIGN AND AN AVEN STREET, MONGO	DELER.ASTRONOS.IRCLAMTRO 网络電子性者作用公司
GB/T 19001-2016 ktt ISO9001:2015	GB/T 24001-2016 idt ISO14001:2015	GB/T45001-2020 idt ISO45001:2018	$0 \rightarrow 0$ B, B $\rightarrow 0$ A, H B 122 B $\subset \odot$ G $\rightarrow H >$ 11 DN: Any Incorporated In Namy Early under the Comparise Ordinaria $A \rightarrow 0$, $A \rightarrow A \rightarrow B$, $A \rightarrow 0 \rightarrow 2$, $A \rightarrow 0$ (Tributor TeX of the Laws of Hearly Kong, and Bellik compare is
Ref Biol and addressing companyous	Retto nagagante	For the Index of all interviews	Constant with in the Last in Fully Wong, and the lost dompany is it is a lost a limited company.
tantananan man mananan mananan manananan mananan mananan	tomantener men photosener men metalementener meneration Manalit	torinamientes 2008 Inter land can Can 2008-000-00 Jacobierto National Anna 2008	★ # 4 # 0 ± 0 − Λ + − Λ ± + ± + # ± − NAME 04. 22 heavy 200.
			Oldentrikalis or in edit a kale or Min. Au L. L. DERING Programmer Auguston Mingrade Specific Automatistrature Auguston
In the second se	The second secon	Control tests of a state of the state o	In Heps: 公司各場合公司中局工作用:工作品中提供学校公司名表式市场大型公司者包括基本中 工程品名提用: TableAdd #: TableAdd #: TableAdd #: TableAdd #: TableA





Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.