

LQP03TQ4N3J02D Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number LQP03TQ4N3J02D-DG

Manufacturer Murata Electronics

Manufacturer Product Number LQP03TQ4N3J02D

Description FIXED IND 4.3NH 360MA 350MOHM SM

Detailed Description 4.3 nH Unshielded Thick Film Inductor 360 mA 350m

Ohm Max 0201 (0603 Metric)



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
LQP03TQ4N3J02D	Murata Electronics
Series:	Product Status:
LQP03	Not For New Designs
Type:	Material - Core:
Thick Film	Non-Magnetic
Inductance:	Tolerance:
4.3 nH	±5%
Current Rating (Amps):	Current - Saturation (Isat):
360 mA	
Shielding:	DC Resistance (DCR):
Unshielded	350mOhm Max
Q @ Freq:	Frequency - Self Resonant:
17 @ 500MHz	6.5GHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
500 MHz	
Mounting Type:	Package / Case:
Surface Mount	0201 (0603 Metric)
Supplier Device Package:	Size / Dimension:
0201 (0603 Metric)	0.024" L x 0.012" W (0.60mm x 0.30mm)
Height - Seated (Max):	Base Product Number:
0.013" (0.32mm)	LQP03TQ

Environmental & Export classification

8504.50.4000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	

Spec No. JELF243C-0024B-01

P.1/12

CHIP COIL (CHIP INDUCTORS) LQP03TQ□□□□02D Reference Specification

1.Scope

This reference specification applies to LQP03TQ series, Chip coil (Chip Inductors).

2.Part Numbering

(ex) LQ P 03 T Q 0N6 W 0 2 D

Product ID Structure Dimension Applications Category Inductance Tolerance Features Electrode Packaging (L × W) and Characteristics Category Inductance Tolerance Features Electrode Packaging D:Taping *B:Bulk

*Bulk packing also available. (A product is put in the plastic bag under the taping conditions.)

3.Rating

• Operating Temperature. -55°C to +125°C • Storage Temperature. -55°C to +125°C

Customer Part Number	MURATA Part Number	Inc	luctance	Q (min)	DC Resistance	Fre	Resonant equency MHz)	Rated Current
raititailiboi	1 dititaliber	(nH)	Tolerance	(111111)	(Ω max)	Min.	*Typ.	(mA)
	LQP03TQ0N6W02D							
	LQP03TQ0N6B02D	0.6						
	LQP03TQ0N6C02D					20000		
	LQP03TQ0N7W02D					20000		
	LQP03TQ0N7B02D	0.7			0.05			1000
	LQP03TQ0N7C02D							
	LQP03TQ0N8W02D	0.8						
	LQP03TQ0N8B02D							
	LQP03TQ0N8C02D					18000		
	LQP03TQ0N9W02D					10000		
	LQP03TQ0N9B02D	0.9						
	LQP03TQ0N9C02D							800
	LQP03TQ1N0W02D		W:±0.05nH B:±0.1nH C:±0.2nH					
	LQP03TQ1N0B02D	1.0			0.08	17000	>20000	
	LQP03TQ1N0C02D							
	LQP03TQ1N1W02D							
	LQP03TQ1N1B02D	1.1	0.10.21111					
	LQP03TQ1N1C02D							
	LQP03TQ1N2W02D							
	LQP03TQ1N2B02D	1.2						
	LQP03TQ1N2C02D						_	
	LQP03TQ1N3W02D			17				700
	LQP03TQ1N3B02D	1.3		17				
	LQP03TQ1N3C02D							
	LQP03TQ1N4W02D							
	LQP03TQ1N4B02D	1.4				16000		
	LQP03TQ1N4C02D							<u> </u>
	LQP03TQ1N5W02D						19700	
	LQP03TQ1N5B02D	1.5						
	LQP03TQ1N5C02D				0.40			
	LQP03TQ1N6B02D	1.6			0.10	15000	19000	
	LQP03TQ1N6C02D	1.0					19000	
	LQP03TQ1N7B02D	4.7					47000	
	LQP03TQ1N7C02D	1.7					17200	
	LQP03TQ1N8B02D	4.0	1				40000	
	LQP03TQ1N8C02D	1.8					16900	650
	LQP03TQ1N9B02D	4.0	B:±0.1nH				40400	
	LQP03TQ1N9C02D	1.9	C:±0.2nH			40500	16100	
	LQP03TQ2N0B02D	0.0				12500	40000	}
	LQP03TQ2N0C02D	2.0					16300	
	LQP03TQ2N1B02D	0.4					44000	1
	LQP03TQ2N1C02D	2.1			0.10		14300	
	LQP03TQ2N2B02D				0.12	11000	10000	ĺ
	LQP03TQ2N2B02D 2.2						13000	

Spec No. JELF243C-0024B-01

P.2/12

Customer Part Number	MURATA Part Number	Inductance		Q (min)	DC Resistance	Self Resonant Frequency (MHz)		Rate Curre										
Part Number	Part Number	(nH)	Tolerance	(min)	(Ω max)	Min.	*Typ.	(mA)										
	LQP03TQ2N3B02D	2.3																
	LQP03TQ2N3C02D	2.5				11000	12600											
	LQP03TQ2N4B02D	2.4				11000	12000											
	LQP03TQ2N4C02D	2.4																
	LQP03TQ2N5B02D	2.5			0.15		10000	550										
	LQP03TQ2N5C02D	2.5			0.13		12300	330										
	LQP03TQ2N6B02D	0.0					40400											
	LQP03TQ2N6C02D	2.6					12100											
	LQP03TQ2N7B02D	0.7				40000	40000											
	LQP03TQ2N7C02D	2.7				10000	12800											
	LQP03TQ2N8B02D	2.0					10000											
	LQP03TQ2N8C02D	2.8					12300											
	LQP03TQ2N9B02D	0.0			0.00		40400	500										
	LQP03TQ2N9C02D	2.9			0.20		12400	500										
	LQP03TQ3N0B02D	0.0					40400	1										
	LQP03TQ3N0C02D	3.0					12100											
	LQP03TQ3N1B02D	6.1				1	44000											
	LQP03TQ3N1C02D	3.1				0500	11800											
	LQP03TQ3N2B02D					9500												
	LQP03TQ3N2C02D	3.2	B:±0.1nH		0.24		11400	450										
	LQP03TQ3N3B02D		C:±0.2nH															
	LQP03TQ3N3C02D	3.3					11200											
	LQP03TQ3N4B02D							400										
	LQP03TQ3N4C02D	3.4																
	LQP03TQ3N5B02D			1			10100											
	LQP03TQ3N5C02D	3.5			0.25	8000												
	LQP03TQ3N6B02D			17														
	LQP03TQ3N6C02D	3.6					9900											
	LQP03TQ3N7B02D																	
	LQP03TQ3N7C02D	3.7					9800											
	LQP03TQ3N8B02D																	
	LQP03TQ3N8C02D	3.8					9700											
	LQP03TQ3N9B02D																	
	LQP03TQ3N9C02D	3.9					10500											
	LQP03TQ4N0B02D																	
	LQP03TQ4N0C02D	4.0																
	LQP03TQ4N1B02D							-										
	LQP03TQ4N1C02D	4.1				6500	10100	360										
	LQP03TQ4N2B02D																	
	LQP03TQ4N2C02D	4.2			0.35		10000											
	LQP03TQ4N3H02D			1														
	LQP03TQ4N3J02D	4.3					9900											
	LQP03TQ4N7H02D																	
	LQP03TQ4N7J02D	4.7					8800											
	LQP03TQ5N1H02D							1										
	LQP03TQ5N1J02D	5.1					8400	350										
	LQP03TQ5N6H02D				0.39													
	LQP03TQ5N6J02D	5.6					8800											
	LQP03TQ6N2H02D					6000												
	LQP03TQ6N2J02D	6.2	H:±3%				8300											
	LQP03TQ6N8H02D		J:±5%		0.55													
	LQP03TQ6N8J02D	6.8	J.±J/0		0.55	5400	7900	300										
								1										
	LQP03TQ7N5H02D	7.5					7600											
	LQP03TQ7N5J02D					4800												
	LQP03TQ8N2H02D	8.2		1			7100											
	LQP03TQ8N2J02D			1	0.65	-		1										
															Ī	1		
	LQP03TQ9N1H02D	9.1					6600	250										
	LQP03TQ9N1H02D LQP03TQ9N1J02D LQP03TQ10NH02D	9.1				4500	6600	250										

Spec No. JELF243C-0024B-01

P.3/12

Customer Part Number	MURATA Part Number	Inductance		Q	DC Resistance	Free	Self Resonant Frequency (MHz)		
Part Number	Part Number	(nH)	Tolerance	(min)	(Ω max)	Min.	*Typ.	(mA)	
	LQP03TQ11NH02D	11					5600		
	LQP03TQ11NJ02D	11					5600		
	LQP03TQ12NH02D	12		17	0.69	3700	4900		
	LQP03TQ12NJ02D	12		17	0.09	3700	4900		
	LQP03TQ13NH02D	10					4000	250	
	LQP03TQ13NJ02D	13					4800	250	
	LQP03TQ15NH02D	15							
	LQP03TQ15NJ02D	13			0.8		5100		
	LQP03TQ16NH02D	16			0.6	3500	5100		
	LQP03TQ16NJ02D	10				3300			
	LQP03TQ18NH02D	18			1.1		4800		
	LQP03TQ18NJ02D	10			1.1		4000		
	LQP03TQ20NH02D	20		14			4500	200	
	LQP03TQ20NJ02D	20		14	1.2	3000	4300	200	
	LQP03TQ22NH02D	22	22		1.2	3000	4100		
	LQP03TQ22NJ02D	QP03TQ22NJ02D QP03TQ24NH02D 24				4100			
	LQP03TQ24NH02D			1.6		3800			
	LQP03TQ24NJ02D				2000				
	LQP03TQ27NH02D	27			1.0	2000	3000	150	
	LQP03TQ27NJ02D	21							
	LQP03TQ30NH02D	30			2.0	1700	3400		
	LQP03TQ30NJ02D	33					3400		
	LQP03TQ33NH02D				2.0		3200		
	LQP03TQ33NJ02D	33					3200		
	LQP03TQ36NH02D	36	H:±3%			1500	3000	- 130	
	LQP03TQ36NJ02D	30	J:±5%				3000		
	LQP03TQ39NH02D	39					2900		
	LQP03TQ39NJ02D	00		11			2000		
	LQP03TQ43NH02D	43				4.0 1300 6.0 1200	2800		
	LQP03TQ43NJ02D	70					2000		
	LQP03TQ47NH02D	47			4.0		2700		
	LQP03TQ47NJ02D	71					2700		
	LQP03TQ51NH02D	51					2600		
	LQP03TQ51NJ02D	<u> </u>			6.0				
	LQP03TQ56NH02D	56			0.0	1.200	2500		
	LQP03TQ56NJ02D								
	LQP03TQ62NH02D	62					2300		
	LQP03TQ62NJ02D								
	LQP03TQ68NH02D	68				1100	2100		
	LQP03TQ68NJ02D				7.0		2100	80	
	LQP03TQ75NH02D	75			7.0			80	
	LQP03TQ75NJ02D					2000			
	LQP03TQ82NH02D	82	91	9					
	LQP03TQ82NJ02D	~-				1000			
	LQP03TQ91NH02D	91			8.0	1000	1800		
	LQP03TQ91NJ02D				2.0				
	LQP03TQR10H02D	100					1700	70	
	LQP03TQR10J02D				9.0	900			
	LQP03TQR11H02D	110			3.0		1600		
	LQP03TQR11J02D	•						<u> </u>	

^{*} Typical value is actual performance.

4. Testing Conditions

《Unless otherwise specified》

《In case of doubt》
°C Temperature : 20°C ± 2°C


Temperature : Ordinary Temperature / 15° C to 35° C Humidity : Ordinary Humidity / 25%(RH) to 85%(RH)

Humidity: 60%(RH) to 70 %(RH)
Atmospheric Pressure: 86kPa to 106 kPa

Spec No. JELF243C-0024B-01


P.4/12

5. Appearance and Dimensions



6. Marking

Side surface identification marking :Blue



7. Electrical Performance

No.	Item	Specification	Test Method
7.1	Inductance	Inductance shall meet item 3.	Measuring Equipment: KEYSIGHT E4991A or equivalent Measuring Frequency: (0.6~30nH)500MHz (33~110nH) 300MHz Measuring Condition: Test signal level / about 0dBm Electrical length / 10mm Weight / about 1N~5N Measuring Fixture: KEYSIGHT 16197A Position coil under test as shown in below and contact coil with each terminal by adding weight. Bottom side should be a bottom, and should be in the direction of the fixture for position of chip coil.
7.2	Q	Q shall meet item 3.	Measuring Method:See the endnote. <electrical inductance="" method="" of="" performance:measuring="" q=""></electrical>

Spec No. JELF243C-0024B-01

P.5/12

No.	Item	Specification	Test Method		
7.3	DC Resistance	DC Resistance shall meet item 3.	Measuring Equipment:Digital multi meter		
7.4	Self Resonant	S.R.F shall meet item 3.	Measuring Equipment:		
	Frequency(S.R.F)		KEYSIGHT N5230A or equivalent		
7.5	Rated	Self temperature rise shall be	The rated current is applied.		
	Current	limited to 25°C max.			

8.Mechanical Performance

No.	Item	Specification	Test Method
8.1	Shear Test	Chip coil shall not be damaged	Substrate:Glass-epoxy substrate
		after tested as test method.	
			Land
			0.24
			(in mm)
			0.9
			0.9
			Force:2N
			Hold Duration:5 s±1 s
			Applied Direction: Parallel to PCB
			Chip coil ─
			F F
			Substrate —/"
8.2	Bending Test		Substrate:Glass-epoxy substrate
			(100mm × 40mm × 0.8mm)
			Speed of Applying Force:1mm /s
			Deflection:1mm Hold Duration:30 s
			Pressure jig
			R340 F
			Deflection
			Deflection
			45 45 5
	\ m = a		× → Product (in mm)
8.3	Vibration	Appearance:No damage	Substrate: Glass-epoxy substrate
		Inductance Change: within ±10%	Oscillation Frequency:
			10Hz to 2000Hz to 10Hz for 20 min
			Total amplitude 1.5 mm or Acceleration
			amplitude 196 m/s² whichever is smaller.
			Testing Time:A period of 2h in each of
0.4	Coldorability	The electrode shall be at least 90%	3 mutually perpendicular directions.
8.4	Solderability		Flux: Ethanol solution of rosin 25(wt)%
		covered with new solder coating.	(Immersed for 5s to 10s) Solder:Sn-3.0Ag-0.5Cu
			Pre-Heating:150°C±10°C / 60s to 90s
			Solder Temperature:240°C±5°C
			Immersion Time:3s±1s
8.5	Resistance to	Appearance:No damage	Flux: Ethanol solution of rosin 25(wt)%
0.5	Soldering Heat	Inductance Change: within ±10%	(Immersed for 5s to 10s)
	Coldoning Fleat	madotanoo Onange. within ±1070	Solder:Sn-3.0Ag-0.5Cu
			Pre-Heating:150°C±10°C / 60s to 90s
			Solder Temperature:260°C±5°C
			Immersion Time:5s±1s
			Then measured after exposure in the room
			condition for 24h±2h.
			CONTRACT TO LATILLETT.

Spec No. JELF243C-0024B-01

P.6/12


9. Environmental Performance

It shall be soldered on the substrate.

No.	Item	Specification	Test Method
9.1	Heat Resistance	Appearance:No damage	Substrate: Glass-epoxy substrate
		Inductance Change: within ±10%	Temperature:125°C±2°C
			Time:1000h (+48h,-0h)
			Then measured after exposure in the
			room condition for 24h±2h.
9.2	Cold Resistance		Substrate: Glass-epoxy substrate
			Temperature:-55°C±3°C
			Time:1000 h (+48h,-0h)
			Then measured after exposure in the
			room condition for 24h±2h.
9.3	Humidity		Substrate: Glass-epoxy substrate
			Temperature:40°C±2°C
			Humidity:90%(RH) to 95%(RH)
			Time:1000 h(+48h,-0h)
			Then measured after exposure in the
			room condition for 24h±2h.
9.4	Temperature		Substrate: Glass-epoxy substrate
	Cycle		1 cycle:
			1 step:-55°C±2°C / 30min±3 min
			2 step:Ordinary temp. / 10~15 min
			3 step:125°C±2°C / 30±3 min
			4 step: Ordinary temp. / 10~15 min
			Total of 10 cycles
			Then measured after exposure in the
			room condition for 24h±2h.

10. Specification of Packaging

10.1 Appearance and Dimensions of paper tape (8mm-wide)



(in mm)

10.2 Specification of Taping

- (1) Packing quantity (standard quantity)
 - 15,000 pcs. / reel
- (2) Packing Method

Products shall be packed in the cavity of the base tape and sealed by cover tape.

- (3) Sprocket hole
 - The sprocket holes are to the right as the tape is pulled toward the user.
- (4) Spliced point

Base tape and Cover tape has no spliced point.

<u>Spec No. JELF243C-0024B-01</u> P.7/12

(5) Missing components number


Missing components number within 0.1% of the number per reel or $1\ pc.$, whichever is greater, and are not continuous. The Specified quantity per reel is kept.

10.3 Pull Strength

Cover tape	5N min
ooro, tapo	0.1


10.4 Peeling off force of cover tape

Speed of Peeling off	300mm/min		
Dealing off force	0.1N to 0.6N		
Peeling off force	(minimum value is typical)		



10.5 Dimensions of Leader-tape, Trailer and Reel

There shall be leader-tape (top tape and empty tape) and trailer-tape (empty tape) as follows.



10.6 Marking for reel

Customer part number, MURATA part number, Inspection number(*1), RoHS Marking(*2), Quantity etc \cdots

- *1) < Expression of Inspection No.>
- $\Box\Box$ 0000 $\times\times$

- (1) Factory Code
- (2) Date First digit : Year / Last digit of year

Second digit : Month / Jan. to Sep. \rightarrow 1 to 9, Oct. to Dec. \rightarrow O,N,D

Third, Fourth digit: Day

- (3) Serial No.
- *2) <Expression of RoHS Marking >


$$ROHS - \underline{Y} (\underline{\Delta})$$
(1) (2)

- (1) RoHS regulation conformity parts.
- (2) MURATA classification number

10.7 Marking for Outside package (corrugated paper box)

Customer name, Purchasing order number, Customer part number, MURATA part number, RoHS Marking (*2), Quantity, etc \cdots

10.8 Specification of Outer Case



Outer	Case Dim (mm)	ensions	Standard Reel Quantity in Outer Case (Reel)
W	D	Н	in Outer Case (Reei)
186	186	93	5

* Above Outer Case size is typical. It depends on a quantity of an order.

Spec No. JELF243C-0024B-01

P.8/12

11. / Caution

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- Power plant control equipment
- (5) Medical equipment
- (6) Transportation equipment (vehicles, trains, ships, etc.)
- (7) Traffic signal equipment
 (8) Disaster prevention / crime prevention equipment
- (9) Data-processing equipment
- (10) Applications of similar complexity and /or reliability requirements to the applications listed in the above


12. Notice

Products can only be soldered with reflow.

This product is designed for solder mounting.

Please consult us in advance for applying other mounting method such as conductive adhesive.

12.1 Land pattern designing



а	0.3
b	0.9
С	0.24
	(in mm)

12.2 Flux, Solder

- · Use rosin-based flux.
 - Don't use highly acidic flux with halide content exceeding 0.2(wt)% (chlorine conversion value). Don't use water-soluble flux.
- Use Sn-3.0Ag-0.5Cu solder.
- Standard thickness of solder paste : $100 \, \mu \text{m}$.


12.3 Reflow soldering conditions

- Pre-heating should be in such a way that the temperature difference between solder and product surface is limited to 150°C max. Cooling into solvent after soldering also should be in such a way that the temperature difference is limited to 100°C max. Insufficient pre-heating may cause cracks on the product, resulting in the deterioration of products quality.
- · Standard soldering profile and the limit soldering profile is as follows. The excessive limit soldering conditions may cause leaching of the electrode and / or resulting in the deterioration of product quality.

Spec No. JELF243C-0024B-01

P.9/12

· Reflow soldering profile



	Standard Profile	Limit Profile	
Pre-heating	150°C~180°C 、90s±30s		
Heating	above 220°C, 30s∼60s	above 230°C, 60s max.	
Peak temperature	245°C±3°C	260°C,10s	
Cycle of reflow	2 times	2 times	

12.4 Reworking with soldering iron


The following conditions must be strictly followed when using a soldering iron.

Pre-heating	150°C,1 min
Tip temperature	350°C max.
Soldering iron output	80W max.
Tip diameter	¢3mm max.
Soldering time	3(+1,-0)s
Time	2 times

Note: Do not directly touch the products with the tip of the soldering iron in order to prevent the crack on the products due to the thermal shock.

12.5 Solder Volume

 $\cdot\,$ Solder shall be used not to be exceeded the upper limits as shown below.




Accordingly increasing the solder volume, the mechanical stress to Chip is also increased. Exceeding solder volume may cause the failure of mechanical or electrical performance and become easy to tilt.

12.6 Attention regarding P.C.B. bending

The following shall be considered when designing and laying out P.C.B.'s.

(1) P.C.B. shall be designed so that products are not subject to the mechanical stress due to warping the board.

[Products direction]



Products shall be located in the sideways direction (Length:a < b) to the mechanical stress.


<u>Spec No. JELF243C-0024B-01</u> P.10/12

(2) Components location on P.C.B. separation.

It is effective to implement the following measures, to reduce stress in separating the board.

It is best to implement all of the following three measures; however, implement as many measures as possible to reduce stress.


Contents of Measures	Stress Level
(1) Turn the mounting direction of the component parallel to the board separation surface.	A > D*1
(2) Add slits in the board separation part.	A > B
(3) Keep the mounting position of the component away from the board separation surface.	A > C



*1 A > D is valid when stress is added vertically to the perforation as with Hand Separation. If a Cutting Disc is used, stress will be diagonal to the PCB, therefore A > D is invalid.

(3) Mounting Components Near Screw Holes

When a component is mounted near a screw hole, it may be affected by the board deflection that occurs during the tightening of the screw. Mount the capacitor in a position as far away from the screw holes as possible.



12.7 Cleaning Conditions

Products shall be cleaned on the following conditions.

- (1) Cleaning temperature shall be limited to 60°C max.(40°C max for IPA)
- (2) Ultrasonic cleaning shall comply with the following conditions with avoiding the resonance phenomenon at the mounted products and P.C.B.

Power: 20 W / I max. Frequency: 28kHz to 40kHz Time: 5 min max.

- (3) Cleaner
 - 1. Alcohol type cleaner Isopropyl alcohol (IPA)
 - 2. Aqueous agent PINE ALPHA ST-100S
- (4) There shall be no residual flux and residual cleaner after cleaning.
 In the case of using aqueous agent, products shall be dried completely after rinse with de-ionized water in order to remove the cleaner.
- (5) Other cleaning Please contact us.

12.8 Resin coating

When products are coated with resin, please contact us in advance.

12.9 Handling of a substrate

(1)There is a possibility of chip cracking caused by PCBexpansion/contraction with heat, because stress on a chip is different depending on PCB material and structure.

When the thermal expansion coefficient greatly differs between the board used for mounting and the chip, it will cause cracking of the chip due to the thermal expansion and contraction.

The chip is assumed to be mounted on the PCB of glass-epoxy material, and we don't test with other PCB material which has different thermal expansion coefficient from Glass-epoxy.

When other PCB materials are considered, please be sure to evaluate by yourself.

Spec No. JELF243C-0024B-01

P.11/12


(2)After mounting products on a substrate, do not apply any stress to the product caused by bending or twisting to the substrate when cropping the substrate, inserting and removing a connector from the substrate or tightening screw to the substrate.


Excessive mechanical stress may cause cracking in the product.

In case of the mounting on flexible PCB, there is a possibility of chip cracking caused by mechanical stress even from small bending or twisting.

When the flexible PCB is considered, please be sure to evaluate by yourself.

Bending Twisting





12.10 Storage and Handing Requirements

(1) Storage period

Use the products within 12 months after deliverd.

Solderability should be checked if this period is exceeded.

- (2) Storage conditions
 - •Products should be stored in the warehouse on the following conditions.

Temperature : -10°C ~ 40°C

Humidity : 30% to 70% relative humidity No rapid change on temperature and humidity.

- Products should not be stored on bulk packaging condition to prevent the chipping of the core and the breaking of winding wire caused by the collision between the products.
- Products should be stored on the palette for the prevention of the influence from humidity, dust and so on.
- •Products should be stored in the warehouse without heat shock, vibration, direct sunlight and so on.
- (3) Handling Condition

Care should be taken when transporting or handling product to avoid excessive vibration or mechanical shock.

13 Note


- (1)Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- (2)You are requested not to use our product deviating from the reference specifications.
- (3)The contents of this reference specification are subject to change without advance notice.

Please approve our product specifications or transact the approval sheet for product specifications before ordering.

<u>Spec No. JELF243C-0024B-01</u> P.12/12

-<Electrical Performance:Measuring Method of Inductance/Q>-

(1) Residual elements and stray elements of test fixture can be described by F-parameter shown in following.



(2) The impedance of chip coil Zx and measured value Zm can be described by input/output current/voltage.

$$Zm = \frac{V_1}{I_1} \qquad Zx = \frac{V_2}{I_2}$$

(3) Thus, the relation between Zx and Zm is following;

$$Zx = \alpha \frac{Zm - \beta}{1 - Zm \Gamma}$$
 where, $\alpha = D / A = 1$ $\beta = B / D = Zsm - (1 - Yom Zsm)Zss$ $\Gamma = C / A = Yom$

Zsm:measured impedance of short chip Zss:residual impedance of short chip (0.480nH) Yom:measured admittance when opening the fixture

(4) Lx and Qx shall be calculated with the following equation.

$$Lx = \frac{Im(Zx)}{2\pi f}, \quad Qx = \frac{Im(Zx)}{Re(Zx)}$$

$$Lx : Inductance of chip coil Qx: Q of chip coil f : Measuring frequency$$



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935