

15MG471KLF Datasheet

www.digi-electronics.com



<https://www.DiGi-Electronics.com>

DiGi Electronics Part Number	15MG471KLF-DG
Manufacturer	Gowanda Electronics
Manufacturer Product Number	15MG471KLF
Description	MOLDED NON-MAGNETIC INDUCTOR AXL
Detailed Description	4.7 μ H Unshielded Inductor 260 mA 2.6Ohm Max Axial



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

15MG471KLF

Series:

15MG

Type:

-

Inductance:4.7 μ H**Current Rating (Amps):**

260 mA

Shielding:

Unshielded

Q @ Freq:

33 @ 7.9MHz

Ratings:

-

Inductance Frequency - Test:

7.9 MHz

Mounting Type:

Through Hole

Supplier Device Package:

Axial

Height - Seated (Max):

-

Manufacturer:

Gowanda Electronics

Product Status:

Active

Material - Core:

Non-Magnetic

Tolerance: \pm 10%**Current - Saturation (Isat):**

-

DC Resistance (DCR):

2.6Ohm Max

Frequency - Self Resonant:

90MHz

Operating Temperature:

-55°C ~ 125°C

Features:

-

Package / Case:

Axial

Size / Dimension:

0.156" Dia x 0.375" L (3.96mm x 9.53mm)

Environmental & Export classification

RoHS Status:

ROHS3 Compliant

REACH Status:

REACH Unaffected

HTSUS:

8504.50.8000

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.