

## 22FP-223LLF Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number 22FP-223LLF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number 22FP-223LLF

Description MOLDED AXIAL LEAD INDUCTOR

Detailed Description 220 µH Unshielded Molded Inductor 500 mA 1.580

hm Max Axial



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



## **Purchase and inquiry**

Manufacturer Product Number:	Manufacturer:
22FP-223LLF	Gowanda Electronics
Series:	Product Status:
22FP	Active
Type:	Material - Core:
Molded	Ferrite
Inductance:	Tolerance:
220 μΗ	±15%
Current Rating (Amps):	Current - Saturation (Isat):
500 mA	500mA
Shielding:	DC Resistance (DCR):
Unshielded	1.580hm Max
Q @ Freq:	Frequency - Self Resonant:
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Features:	Mounting Type:
	Through Hole
Package / Case:	Supplier Device Package:
Axial	Axial
Size / Dimension:	Height - Seated (Max):
0.240" Dia x 0.740" L (6.10mm x 18.80mm)	

## **Environmental & Export classification**

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



## **OUR CERTIFICATE**

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935