


28MG391KLF Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number 28MG391KLF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number 28MG391KLF

Description MOLDED AXL NON-MAGNETIC INDUCTOR

Detailed Description 3.9 µH Unshielded Molded Inductor 955 mA 450mO

hm Max Axial



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
28MG391KLF	Gowanda Electronics
Series:	Product Status:
28MG	Active
Type:	Material - Core:
Molded	Non-Magnetic
Inductance:	Tolerance:
3.9 µH	±10%
Current Rating (Amps):	Current - Saturation (Isat):
955 mA	
Shielding:	DC Resistance (DCR):
Unshielded	450mOhm Max
Q @ Freq:	Frequency - Self Resonant:
60 @ 7.9MHz	95MHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
7.9 MHz	
Mounting Type:	Package / Case:
Through Hole	Axial
Supplier Device Package:	Size / Dimension:
Axial	0.281" Dia x 0.900" L (7.14mm x 22.86mm)
Height - Seated (Max):	

Environmental & Export classification

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935