

CC1008-270MS Datasheet



DiGi Electronics Part Number CC1008-270MS-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number CC1008-270MS

Description CERAMIC SMT CHIP INDUCTOR

Detailed Description 270 nH Unshielded Wirewound Inductor 515 mA 91

0m0hm 1008 (2520 Metric)

https://www.DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
CC1008-270MS	Gowanda Electronics
Series:	Product Status:
CC1008	Active
Type:	Material - Core:
Wirewound	Ceramic
Inductance:	Tolerance:
270 nH	±20%
Current Rating (Amps):	Current - Saturation (Isat):
515 mA	
Shielding:	DC Resistance (DCR):
Unshielded	910mOhm
Q @ Freq:	Frequency - Self Resonant:
45 @ 100MHz	600MHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
25 MHz	
Mounting Type:	Package / Case:
Surface Mount	1008 (2520 Metric)
Supplier Device Package:	Size / Dimension:
1008	0.115" L x 0.110" W (2.92mm x 2.79mm)
Height - Seated (Max):	
0.090" (2.29mm)	

Environmental & Export classification

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935