

CF4H1008-682K Datasheet



DiGi Electronics Part Number	CF4H1008-682K-DG
Manufacturer	Gowanda Electronics
Manufacturer Product Number	CF4H1008-682K
Description	FERRITE HP CHIP INDUCTOR
Detailed Description	68 μ H Unshielded Inductor 140 mA 130Ohm Max 1008 (2520 Metric)

<https://www.DiGi-Electronics.com>



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

CF4H1008-682K

Series:

CF4H1008

Type:

-

Inductance:68 μ H**Current Rating (Amps):**

140 mA

Shielding:

Unshielded

Q @ Freq:

30 @ 2.5MHz

Ratings:

-

Inductance Frequency - Test:

2.5 MHz

Mounting Type:

Surface Mount

Supplier Device Package:

1008

Height - Seated (Max):

0.090" (2.29mm)

Manufacturer:

Gowanda Electronics

Product Status:

Active

Material - Core:

Ferrite

Tolerance: \pm 10%**Current - Saturation (Isat):**

-

DC Resistance (DCR):

130hm Max

Frequency - Self Resonant:

12MHz

Operating Temperature:

-55°C ~ 125°C

Features:

-

Package / Case:

1008 (2520 Metric)

Size / Dimension:

0.120" L x 0.110" W (3.05mm x 2.79mm)

Environmental & Export classification

RoHS Status:

ROHS3 Compliant

REACH Status:

REACH Unaffected

HTSUS:

8504.50.8000

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.