

DB3-333LF Datasheet



DiGi Electronics Part Number DB3-333LF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number DB3-333LF

Description RADIAL POWER LINE CHOKE

Detailed Description 330 μH Unshielded Wirewound Inductor 4.5 A 94m

Ohm Max Radial, Vertical Cylinder (Open)

https://www.DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
DB3-333LF	Gowanda Electronics
Series:	Product Status:
DB3	Active
Type:	Material - Core:
Wirewound	Ferrite
Inductance:	Tolerance:
330 µH	±10%
Current Rating (Amps):	Current - Saturation (Isat):
4.5 A	7.1A
Shielding:	DC Resistance (DCR):
Unshielded	94mOhm Max
Q @ Freq:	Frequency - Self Resonant:
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
1 kHz	
Mounting Type:	Package / Case:
Through Hole	Radial, Vertical Cylinder (Open)
Supplier Device Package:	Size / Dimension:
Radial	1.100" Dia (27.94mm)
Height - Seated (Max):	
0.887" (22.53mm)	

Environmental & Export classification

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935