

MLP24-184L Datasheet



DiGi Electronics Part Number	MLP24-184L-DG
Manufacturer	Gowanda Electronics
Manufacturer Product Number	MLP24-184L
Description	MOLDED AXL UNSHIELDED INDUCTOR
Detailed Description	1.8 mH Unshielded Molded Inductor 300 mA 40hm Max Axial

<https://www.DiGi-Electronics.com>



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

MLP24-184L

Series:

MLP24

Type:

Molded

Inductance:

1.8 mH

Current Rating (Amps):

300 mA

Shielding:

Unshielded

Q @ Freq:

-

Ratings:

-

Inductance Frequency - Test:

1 kHz

Mounting Type:

Through Hole

Supplier Device Package:

Axial

Height - Seated (Max):

-

Manufacturer:

Gowanda Electronics

Product Status:

Active

Material - Core:

Ferrite

Tolerance:

±15%

Current - Saturation (Isat):

150mA

DC Resistance (DCR):

40hm Max

Frequency - Self Resonant:

-

Operating Temperature:

-55°C ~ 130°C

Features:

-

Package / Case:

Axial

Size / Dimension:

0.240" Dia x 0.740" L (6.10mm x 18.80mm)

Environmental & Export classification

RoHS Status:

Not applicable

REACH Status:

REACH Unaffected

HTSUS:

8504.50.8000

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.