

## SM3-182GLF Datasheet



DiGi Electronics Part Number SM3-182GLF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number SM3-182GLF

Description MOLDED UNSHIELDED INDUCTOR

**Detailed Description** 18 μH Unshielded Molded Inductor 183 mA 6.20hm

Max 1210 (3225 Metric)

https://www.DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



## **Purchase and inquiry**

Manufacturer Product Number:	Manufacturer:
SM3-182GLF	Gowanda Electronics
Series:	Product Status:
SM3	Active
Type:	Material - Core:
Molded	Iron Powder
Inductance:	Tolerance:
18 µH	±2%
Current Rating (Amps):	Current - Saturation (Isat):
183 mA	
Shielding:	DC Resistance (DCR):
Unshielded	6.20hm Max
Q @ Freq:	Frequency - Self Resonant:
	16MHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
1 MHz	
Mounting Type:	Package / Case:
Surface Mount	1210 (3225 Metric)
Supplier Device Package:	Size / Dimension:
1210	0.126" L x 0.098" W (3.20mm x 2.49mm)
Height - Seated (Max):	
0.102" (2.60mm)	

## **Environmental & Export classification**

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	
8504.50.8000	



## **OUR CERTIFICATE**

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935