

## SMP3308LP-224MLF Datasheet



DiGi Electronics Part Number SMP3308LP-224MLF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number SMP3308LP-224MLF

Description LOW PROFILE UNSHIELDED INDUCTOR

**Detailed Description** 2.2 mH Unshielded Inductor 170 mA 12.50hm Max

Nonstandard

https://www.DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



## **Purchase and inquiry**

Manufacturer Product Number:	Manufacturer:
SMP3308LP-224MLF	Gowanda Electronics
Series:	Product Status:
SMP3308LP	Active
Type:	Material - Core:
	Ferrite
Inductance:	Tolerance:
2.2 mH	±20%
Current Rating (Amps):	Current - Saturation (Isat):
170 mA	185mA
Shielding:	DC Resistance (DCR):
Unshielded	12.50hm Max
Q @ Freq:	Frequency - Self Resonant:
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
100 kHz	
Mounting Type:	Package / Case:
Surface Mount	Nonstandard
Supplier Device Package:	Size / Dimension:
	0.530" L x 0.420" W (13.46mm x 10.67mm)
Height - Seated (Max):	
0.100" (2.54mm)	

## **Environmental & Export classification**

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



## **OUR CERTIFICATE**

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935