

SMRF1210-820M Datasheet



DiGi Electronics Part Number	SMRF1210-820M-DG
Manufacturer	Gowanda Electronics
Manufacturer Product Number	SMRF1210-820M
Description	MOLDED UNSHIELDED INDUCTOR
Detailed Description	820 nH Unshielded Molded Inductor 556 mA 670mOhm Max 1210 (3225 Metric)

<https://www.DiGi-Electronics.com>



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

SMRF1210-820M

Series:

SMRF1210S

Type:

Molded

Inductance:

820 nH

Current Rating (Amps):

556 mA

Shielding:

Unshielded

Q @ Freq:

30 @ 25MHz

Ratings:

-

Inductance Frequency - Test:

25 MHz

Mounting Type:

Surface Mount

Supplier Device Package:

1210

Height - Seated (Max):

0.106" (2.70mm)

Manufacturer:

Gowanda Electronics

Product Status:

Active

Material - Core:

Iron Powder

Tolerance:

±20%

Current - Saturation (Isat):

-

DC Resistance (DCR):

670mOhm Max

Frequency - Self Resonant:

140MHz

Operating Temperature:

-55°C ~ 125°C

Features:

-

Package / Case:

1210 (3225 Metric)

Size / Dimension:

0.130" L x 0.095" W (3.30mm x 2.42mm)

Environmental & Export classification

RoHS Status:

Not applicable

REACH Status:

REACH Unaffected

HTSUS:

8504.50.8000

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.