

SMRF1812S-390KLF Datasheet



DiGi Electronics Part Number SMRF1812S-390KLF-DG

Manufacturer Gowanda Electronics

Manufacturer Product Number SMRF1812S-390KLF

Description MOLDED SHIELDED INDUCTOR

Detailed Description 390 nH Shielded Molded Inductor 1.353 A 109mOh

m Max 1812 (4532 Metric)

https://www.DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
SMRF1812S-390KLF	Gowanda Electronics
Series:	Product Status:
SMRF1812S	Active
Type:	Material - Core:
Molded	Ferrite
Inductance:	Tolerance:
390 nH	±10%
Current Rating (Amps):	Current - Saturation (Isat):
1.353 A	1.2A
Shielding:	DC Resistance (DCR):
Shielded	109mOhm Max
Q @ Freq:	Frequency - Self Resonant:
40 @ 25MHz	215MHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Features:
25 MHz	
Mounting Type:	Package / Case:
Surface Mount	1812 (4532 Metric)
Supplier Device Package:	Size / Dimension:
1812	0.177" L x 0.126" W (4.50mm x 3.20mm)
Height - Seated (Max):	
0.138" (3.50mm)	

Environmental & Export classification

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Unaffected	EAR99
HTSUS:	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935