

MTSW-129-08-F-D-310 Datasheet



| | |
|------------------------------|---|
| DiGi Electronics Part Number | MTSW-129-08-F-D-310-DG |
| Manufacturer | Samtec Inc. |
| Manufacturer Product Number | MTSW-129-08-F-D-310 |
| Description | CONN HEADER VERT 58POS 2.54MM |
| Detailed Description | Connector Header Through Hole 58 position 0.100" (2.54mm) |

<https://www.DiGi-Electronics.com>

This model MTSW-129-08-F-D-310 is available at DiGi Electronics.

DiGi Electronics offers a global database of semiconductor and electronic component datasheets.

We welcome your inquiries regarding pricing, lead time, or other product-related questions.

 [Request a Quote](#)

 [Datasheet Search](#)



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

MTSW-129-08-F-D-310

Series:

Flex Stack, MTSW

Connector Type:

Header, Cuttable

Pitch - Mating:

0.100" (2.54mm)

Number of Rows:

2

Number of Positions Loaded:

All

Shrouding:

Unshrouded

Termination:

Solder

Contact Length - Mating:

0.310" (7.87mm)

Overall Contact Length:

0.530" (13.46mm)

Contact Shape:

Square

Contact Finish Thickness - Mating:

3.00µin (0.076µm)

Contact Material:

Phosphor Bronze

Features:

-

Ingress Protection:

-

Insulation Color:

Black

Voltage Rating:

-

Contact Finish Thickness - Post:

-

Base Product Number:

MTSW-129

Manufacturer:

Samtec Inc.

Product Status:

Active

Contact Type:

Male Pin

Number of Positions:

58

Row Spacing - Mating:

0.100" (2.54mm)

Style:

Board to Board or Cable

Mounting Type:

Through Hole

Fastening Type:

Push-Pull

Contact Length - Post:

0.120" (3.05mm)

Insulation Height:

0.100" (2.54mm)

Contact Finish - Mating:

Gold

Contact Finish - Post:

Tin

Insulation Material:

Polyester, Glass Filled

Operating Temperature:

-55°C ~ 125°C

Material Flammability Rating:

UL94 V-0

Current Rating (Amps):

3A

Mated Stacking Heights:

-

Applications:

-

Environmental & Export classification

RoHS Status:

Moisture Sensitivity Level (MSL):

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.