


# SSQ-104-02-T-S Datasheet



<https://www.DiGi-Electronics.com>

|                              |  |
|------------------------------|--|
| DiGi Electronics Part Number | SSQ-104-02-T-S-DG  |
| Manufacturer                 | <a href="#">Samtec Inc.</a>                                      |
| Manufacturer Product Number  | SSQ-104-02-T-S   |
| Description                  | CONN RCPT 4POS 0.1 TIN PCB                                       |
| Detailed Description         | 4 Position Receptacle Connector 0.100" (2.54mm) Through Hole Tin |

This model SSQ-104-02-T-S is available at DiGi Electronics.

DiGi Electronics offers a global database of semiconductor and electronic component datasheets.

We welcome your inquiries regarding pricing, lead time, or other product-related questions.

 [Request a Quote](#)

 [Datasheet Search](#)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.

## Purchase and inquiry

### Manufacturer Product Number:

SSQ-104-02-T-S

### Series:

SSQ

### Connector Type:

Receptacle

### Style:

Board to Board or Cable

### Number of Positions Loaded:

All

### Number of Rows:

1

### Mounting Type:

Through Hole

### Fastening Type:

Push-Pull

### Contact Finish Thickness - Mating:

-

### Insulation Height:

0.335" (8.51mm)

### Operating Temperature:

-55°C ~ 105°C

### Contact Finish - Post:

Tin

### Ingress Protection:

-

### Current Rating (Amps):

-

### Applications:

-

### Contact Shape:

Square

### Contact Finish Thickness - Post:

-

### Manufacturer:

Samtec Inc.

### Product Status:

Discontinued at Digi-Key

### Contact Type:

Forked

### Number of Positions:

4

### Pitch - Mating:

0.100" (2.54mm)

### Row Spacing - Mating:

-

### Termination:

Solder

### Contact Finish - Mating:

Tin

### Insulation Color:

Black

### Contact Length - Post:

0.194" (4.93mm)

### Material Flammability Rating:

UL94 V-0

### Mated Stacking Heights:

-

### Features:

-

### Voltage Rating:

465VAC, 655VDC

### Insulation Material:

Liquid Crystal Polymer (LCP)

### Contact Material:

Phosphor Bronze

### Base Product Number:

SSQ-104

## Environmental & Export classification

### RoHS Status:

ROHS3 Compliant

### REACH Status:

REACH Unaffected

### HTSUS:

### Moisture Sensitivity Level (MSL):

Not Applicable

### ECCN:

EAR99

## OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.