

ZM3102AU-CME1 Datasheet



<https://www.DiGi-Electronics.com>

DiGi Electronics Part Number	ZM3102AU-CME1-DG
Manufacturer	Silicon Labs
Manufacturer Product Number	ZM3102AU-CME1
Description	RF TXRX MODULE ISM < 1GHZ SMD
Detailed Description	General ISM < 1GHz Z-Wave® Transceiver Module 908MHz Antenna Not Included Surface Mount

This model ZM3102AU-CME1 is available at DiGi Electronics.

DiGi Electronics offers a global database of semiconductor and electronic component datasheets.

We welcome your inquiries regarding pricing, lead time, or other product-related questions.

 [Request a Quote](#)

 [Datasheet Search](#)



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

ZM3102AU-CME1

Series:

Z-Wave®

DiGi-Electronics Programmable:

Not Verified

Protocol:

Z-Wave®

Frequency:

908MHz

Power - Output:

-2dBm

Serial Interfaces:

SPI, UART

Utilized IC / Part:

-

Voltage - Supply:

2.1V ~ 3.6V

Current - Transmitting:

24mA ~ 36mA

Operating Temperature:

-15°C ~ 85°C

Manufacturer:

Silicon Labs

Product Status:

Obsolete

RF Family/Standard:

General ISM < 1GHz

Modulation:

FSK

Data Rate:

40kbps

Sensitivity:

-102dBm

Antenna Type:

Antenna Not Included

Memory Size:

32kB Flash, 2kB SRAM

Current - Receiving:

23mA

Mounting Type:

Surface Mount

Package / Case:

Module

Environmental & Export classification

Moisture Sensitivity Level (MSL):

3 (168 Hours)

HTSUS:

8517.79.0000

ECCN:

EAR99

ZM3102

Z-Wave® Integrated Wireless Module for Home Control



The ZM3102 represents the third-generation of Z-Wave® wireless technology, and is ideal for easily adding Z-Wave® control and status capabilities to home control, home security monitoring, and home energy management products. The ZM3102 module includes a Z-Wave® chip and external components required to implement a complete, drop-in solution.

The wireless mesh network technology automatically routes the RF signal from one Z-Wave® node to the next, around obstacles and radio dead spots, resulting in high reliability and assured whole-home coverage.

The ability to also use the Z-Wave® protocol over IP (Internet Protocol) networks allows Z-Wave® enabled products to connect seamlessly using the wireless mesh network, the home network, and the Internet.

Z-Wave® allows both manufacturers and consumers the security of knowing that Z-Wave® certified products, regardless of brand, will work together.

Powering the new digital home



Target Markets

- Home control
- Home security and monitoring
- Home energy management

Benefits

- Integration of home, entertainment, security, and energy management control with metadata support
- Seamless interoperability between multiple vendors and applications
- Robust and reliable whole-home coverage through mesh networking
- Z-Wave® protocol over IP (Internet Protocol) networks, such as home network and Internet
- Supports unicast, multicast, and broadcast messages
- Low power consumption for multi-year battery life

Features

- Integrated CPU and RF transceiver
- 32KB flash, 2KB SRAM
- Triac controller
- 4-ch 12-bit rail-to-rail ADC
- Integrated GPIO, SPI, UART, PWM
- Ultra-low power sleep mode
- 40 kbps data rates, low latency
- Uses the unlicensed Short-Range Device (SRD) frequency bands
- Battery monitor and built-in supply regulators
- Power supply: 2.1-3.6V
- 12.5x13.6mm module, 18 pins




ZM3102

Z-Wave® Integrated Wireless Module for Home Control



ZM3102



Z-WAVE® HOME CONTROL MODULE SELECTION GUIDE

	ZM3102	ZM4101	ZM4102
Frequency	868.40...921.42 MHz	779...956 MHz	779...956 MHz
Program Memory	32 KB flash	64 KB OTP	64 KB OTP
SRAM	2 KB	16 KB	16 KB
NVRAM		64 B	64 B
GPIO	10	32	10
Keyboard Scan		128 keys	
UARTs	1	2	1
SPI Ports	1	2	1
USB		•	
AES Security		•	•
IR Transmitter		•	
IR Learning		•	
Data Rate	40 kbps	100 kbps	100 kbps

U.S. Sales Offices

SIGMA DESIGNS, INC.
Tel: +1.201.981.3009

International Sales Offices

AUSTRALIA, INDIA, INDONESIA, KOREA, MALAYSIA, SINGAPORE
Sigma Designs Technology Singapore
8 Kallang Sector
Level 10, East Wing
Singapore 349282
Singapore
Tel: +65.6749.1877
Fax: +65.6749.1844

CHINA

Sigma Designs China
Unit 7C1, TianXiang Bldg.
Tian'An Cyber Zone,
Futian District,
Shenzhen, PRC
Postcode 518048
Tel: +86.755.83435669
Fax: +86.755.83435629

EUROPE

Sigma Designs Denmark ApS
Emdrupvej 26 A, 1.,
2100 Copenhagen O
Denmark
Tel: +45.7020.9940
Fax: +45.7020.9950

HONG KONG

Sigma Designs (Asia) Ltd.
Unit 4001B, Tower 2,
Metroplaza
223 Hing Fong Road
Kwai Fong, N.T. Hong Kong
Tel: +852.2401.7388
Fax: +852.2610.2177

ISRAEL, EASTERN EUROPE

Sigma Designs Israel
38 Habarzel St.
69710 Tel Aviv
Israel
Tel: +972.3.769.6222
Fax: +972.3.644.6253

JAPAN

Sigma Designs Japan, KK
KDX381 Building 2F
3-8-11 Shin-Yokohama
Kohoku Yokohama Kanagawa
222-0033, Japan
Tel: +81.45.470.5877
Fax: +81.45.470.5876

TAIWAN

Sigma Designs (Asia) Ltd.
Far East World Center,
C Tower
6F-6, No. 79, Sec 1
Hsin Tai Wu Road
Hsichih, Taipei Hsien, Taiwan
Tel: +886.2.7708.6818
Fax: +886.2.2653.2278

International Sales Distributors

DIGIKEY

Z-Wave Product Specialist
701 Brooks Ave. South
Thief River Falls, MN 56701
Tel: +1.800.338.4105 x 163
scott.raeker@digkey.com

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.