

CBSSW-450-001 Datasheet



DiGi Electronics Part Number	CBSSW-450-001-DG
Manufacturer	Synapse Wireless
Manufacturer Product Number	CBSSW-450-001
Description	CENTRAL BASE STATION 5 BUTTON
Detailed Description	RF Switch 2.4GHz 802.11 b/g/n, 802.15.4, SNAP

<https://www.DiGi-Electronics.com>

This model CBSSW-450-001 is available at DiGi Electronics.

DiGi Electronics offers a global database of semiconductor and electronic component datasheets.

We welcome your inquiries regarding pricing, lead time, or other product-related questions.

 [Request a Quote](#)

 [Datasheet Search](#)



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

CBSSW-450-001

Series:

simplySNAP

Function:

Switch

Frequency:

2.4GHz

Interface:

-

Power - Output:

-

Features:

-

Base Product Number:

CBSSW-450

Manufacturer:

Synapse Wireless

Product Status:

Active

Modulation or Protocol:

802.11 b/g/n, 802.15.4, SNAP

Applications:

General Purpose

Sensitivity:

-

Data Rate (Max):

-

Voltage - Supply:

90V ~ 150V

Environmental & Export classification

RoHS Status:

RoHS Compliant

HTSUS:

0000.00.0000



Central Base Station

Specification Data	
Job Name	
Type	
Catalog #	
Comments	



Great for Sporting Venues and Multi-Use Facilities

Product Overview

The **Central Base Station** is a SimplySNAP component that can be installed anywhere you need wireless push-button lighting control, such as municipal ballparks, hockey arenas, basketball facilities, and other multi-use complexes.

The heart of the Central Base Station is the SS420/450 site controller, contained in the NEMA 4X enclosure. An optional bank of 5 buttons allows for controlled manual access to site lighting controls.

The Central Base Station makes it easy for electricians to quickly install the SimplySNAP site controller and enables quick and simple access to a switch station that can be programmed to meet the needs of the end-user.

Features

- Allows for controlled manual access to a SimplySNAP lighting system
- Weather protected — perfect for both indoor and outdoor applications
- Optional, pre-configured 5-button switch to allow for control of all lighting within the facility
- External Ethernet port for connecting to IT network

Product #	Description
CBSSW-450-001	SS450-based Model w/ 5-button switch
CBSSW-420-002	SS420-based Model w/ 5-button switch
CBS-450-001	SS450-based Model (gateway only)
CBS-420-002	SS420-based Model (gateway only)

Dimensions	15.5" x 13.5" x 7.7" (393 x 342 x 195 mm)
Input Power	90-150VAC; 8W max, 6kV surge protection
Operating Environment	-20°C to +55°C, IP65
Radio	SNAP 2.4GHz 802.15.4 Wi-Fi 2.4Ghz 802.11 b/g/n
Certifications	FCC/IC; Tested to CAN/CSA C22.2 No. 60950-1/A2:2014 and UL 60950-1/R:2014-10
Warranty	5 Years

To learn more, call or visit:
synapsewireless.com
 (877) 982-7888

OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.