

ISC1812RQR56K Datasheet

www.digi-electronics.com



https://www.DiGi-Electronics.com

DiGi Electronics Part Number ISC1812RQR56K-DG

Manufacturer Vishay Dale

Manufacturer Product Number ISC1812RQR56K

Description FIXED IND 560NH 306MA 750MOHM SM

Detailed Description 560 nH Shielded Wirewound Inductor 306 mA 750m

Ohm Max 1812 (4532 Metric)



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
ISC1812RQR56K	Vishay Dale
Series:	Product Status:
ISC-1812	Active
Type:	Material - Core:
Wirewound	Non-Magnetic
Inductance:	Tolerance:
560 nH	±10%
Current Rating (Amps):	Current - Saturation (Isat):
306 mA	
Shielding:	DC Resistance (DCR):
Shielded	750mOhm Max
Q @ Freq:	Frequency - Self Resonant:
30 @ 25.2MHz	205MHz
Ratings:	Operating Temperature:
	-55°C ~ 125°C
Inductance Frequency - Test:	Mounting Type:
25.2 MHz	Surface Mount
Package / Case:	Supplier Device Package:
1812 (4532 Metric)	1812
Size / Dimension:	Height - Seated (Max):
0.177" L x 0.126" W (4.50mm x 3.20mm)	0.134" (3.40mm)

Environmental & Export classification

8504.50.8000

RoHS Status:	Moisture Sensitivity Level (MSL):
RoHS non-compliant	1 (Unlimited)
REACH Status:	ECCN:
REACH Affected	EAR99
HTSUS:	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935