


IXFX180N15P Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number IXFX180N15P-DG

Manufacturer IXYS

Manufacturer Product Number IXFX180N15P

Description MOSFET N-CH 150V 180A PLUS247-3

Detailed Description N-Channel 150 V 180A (Tc) 830W (Tc) Through Hole

PLUS247TM-3



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

| Manufacturer Product Number: | Manufacturer: |
|---|---|
| IXFX180N15P | IXYS |
| Series: | Product Status: |
| HiPerFET™, Polar | Active |
| FET Type: | Technology: |
| N-Channel | MOSFET (Metal Oxide) |
| Drain to Source Voltage (Vdss): | Current - Continuous Drain (Id) @ 25°C: |
| 150 V | 180A (Tc) |
| Drive Voltage (Max Rds On, Min Rds On): | Rds On (Max) @ ld, Vgs: |
| 10V | 11mOhm @ 90A, 10V |
| Vgs(th) (Max) @ Id: | Gate Charge (Qg) (Max) @ Vgs: |
| 5V @ 4mA | 240 nC @ 10 V |
| Vgs (Max): | Input Capacitance (Ciss) (Max) @ Vds: |
| ±20V | 7000 pF @ 25 V |
| FET Feature: | Power Dissipation (Max): |
| | 830W (Tc) |
| Operating Temperature: | Mounting Type: |
| -55°C ~ 175°C (TJ) | Through Hole |
| Supplier Device Package: | Package / Case: |
| PLUS247™-3 | TO-247-3 Variant |
| Base Product Number: | |
| IXFX180 | |

Environmental & Export classification

8541.29.0095

| RoHS Status: | Moisture Sensitivity Level (MSL): |
|------------------|-----------------------------------|
| ROHS3 Compliant | 1 (Unlimited) |
| REACH Status: | ECCN: |
| REACH Unaffected | EAR99 |
| HTSUS: | |



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935