


XFHCL11-100M Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number XFHCL11-100M-DG

Manufacturer XFMRS

Manufacturer Product Number XFHCL11-100M

Description FIXED IND 10UH 6.8A 37 MOHM SMD

Detailed Description 10 µH Shielded Molded Inductor 6.8 A 37mOhm Ma

X



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
XFHCL11-100M	XFMRS
Series:	Product Status:
XFHCL11	Active
Type:	Material - Core:
Molded	
Inductance:	Tolerance:
10 µН	±20%
Current Rating (Amps):	Current - Saturation (Isat):
6.8 A	12A
Shielding:	DC Resistance (DCR):
Shielded	37mOhm Max
Q @ Freq:	Frequency - Self Resonant:
	12MHz
Ratings:	Operating Temperature:
AEC-Q200	-55°C ~ 125°C
Inductance Frequency - Test:	Mounting Type:
100 kHz	Surface Mount
Package / Case:	Supplier Device Package:
Size / Dimension:	Height - Seated (Max):
0.433" L x 0.394" W (11.00mm x 10.00mm)	0.157" (4.00mm)

Environmental & Export classification

RoHS Status:	Moisture Sensitivity Level (MSL):	
ROHS3 Compliant	1 (Unlimited)	
HTSUS:		
8504.50.8000		



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935