


XFHCL4-1R8M Datasheet



https://www.DiGi-Electronics.com

DiGi Electronics Part Number XFHCL4-1R8M-DG

Manufacturer XFMRS

Manufacturer Product Number XFHCL4-1R8M

Description FIXED IND 1.8UH 19A 4.9 MOHM SMD

Detailed Description 1.8 µH Shielded Molded Inductor 19 A 4.9mOhm M

ax



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.



Purchase and inquiry

Manufacturer Product Number:	Manufacturer:
XFHCL4-1R8M	XFMRS
Series:	Product Status:
XFHCL4	Active
Type:	Material - Core:
Molded	
Inductance:	Tolerance:
1.8 μΗ	±20%
Current Rating (Amps):	Current - Saturation (Isat):
19 A	35A
Shielding:	DC Resistance (DCR):
Shielded	4.9mOhm Max
Q@Freq:	Ratings:
	AEC-Q200
Operating Temperature:	Inductance Frequency - Test:
-55°C ~ 125°C	100 kHz
Mounting Type:	Package / Case:
Surface Mount	
Supplier Device Package:	Size / Dimension:
	0.531" L x 0.504" W (13.50mm x 12.80mm)
Height - Seated (Max):	
0.197" (5.00mm)	

Environmental & Export classification

RoHS Status:	Moisture Sensitivity Level (MSL):
ROHS3 Compliant	1 (Unlimited)
HTSUS:	
8504.50.8000	



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we striciy control the quality of products and services. Welcome your RFQ to Email: Info@DiGi-Electronics.com

















Tel: +00 852-30501935