


# XCZU57DR-2FFVE1156I Datasheet

[www.digi-electronics.com](http://www.digi-electronics.com)



XCZU57DR-2FFVE1156I

<https://www.DiGi-Electronics.com>

DiGi Electronics Part Number	XCZU57DR-2FFVE1156I-DG
Manufacturer	AMD
Manufacturer Product Number	XCZU57DR-2FFVE1156I
Description	IC ZUP RFSOC A53 FPGA 1156BGA
Detailed Description	Quad ARM® Cortex®-A53 MPCore™ with CoreSight™, Dual ARM®Cortex™-R5 with CoreSight™ System On Chip (SOC) IC Zynq® UltraScale+™ RFSoc DR Zynq® UltraScale+™ RFSoc 533MHz, 1.3GHz 1156-FCBGA (35x35)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.

## Purchase and inquiry

Manufacturer Product Number:

XCZU57DR-2FFVE1156I

Series:

Zynq® UltraScale+™ RFSoc DR

Architecture:

MPU, FPGA

Flash Size:

-

Peripherals:

DDR, DMA, PCIe, WDT

Speed:

533MHz, 1.3GHz

Operating Temperature:

-40°C ~ 100°C (Tj)

Supplier Device Package:

1156-FCBGA (35x35)

Manufacturer:

AMD

Product Status:

Active

Core Processor:

Quad ARM® Cortex®-A53 MPCore™ with CoreSight™, Dual ARM®Cortex™-R5 w

RAM Size:

-

Connectivity:

CANbus, EBI/EMI, Ethernet, I2C, MMC/SD/SDIO, SPI, UART/USART, USB OTG

Primary Attributes:

Zynq® UltraScale+™ RFSoc

Package / Case:

1156-BBGA, FCBGA

Number of I/O:

-

## Environmental & Export classification

RoHS Status:

ROHS3 Compliant

Moisture Sensitivity Level (MSL):

4 (72 Hours)



## Additional Nanya Substrate Supplier for UltraScale & UltraScale+ Monolithic Packages

XCN20014 (v1.4) May 10, 2021

Product Change Notice

### Overview

The purpose of this notification is to announce Xilinx® will include Nanya as additional substrate supplier for Xilinx Kintex® UltraScale™, Kintex® UltraScale+™, Virtex® UltraScale+™ and Zynq® UltraScale+™ commercial / industrial “XC” and automotive “XA” grade devices. Defense-grade “XQ” device-packages are not affected by this PCN.

### Description

Due to recent supply chain continuity and force majeure, Xilinx has completed package qualification and will be shipping Nanya substrate for monolithic packages, as additional substrate for Xilinx Kintex UltraScale, Kintex UltraScale+, Virtex UltraScale+ and Zynq UltraScale+ commercial / industrial “XC” and automotive “XA” grade devices. Nanya substrate has been used for more than 20 years in industry and has been considered a stable substrate supplier. This additional supplier will adhere to the same performance, quality and reliability specifications that apply to all product families proven through extensive qualification and testing. There are no changes to form, fit, function, or reliability.

### Products Affected

This change affects all speeds and temperature grades such as commercial / industrial “XC” and automotive “XA” in all speed grade devices (refer to tables below). Any associated specification control document (SCD) versions of the standard part numbers are also affected.

**Table 1: Phase 1 Products Affected (Body size smaller or equal than 27x27mm)**

#### Kintex UltraScale+

Device	Package
XCKU3P	FFVA676
XCKU3P	FFVB676
XCKU3P	SFVB784
XCKU5P	FFVA676
XCKU5P	FFVB676
XCKU5P	SFVB784

#### Zynq UltraScale+

Device	Package
XCZU2CG	SBVA484
XCZU2CG	SFVA625
XCZU2CG	SFVC784
XCZU2EG	SBVA484
XCZU2EG	SFVA625
XCZU2EG	SFVC784
XCZU3CG	SBVA484
XCZU3CG	SFVA625
XCZU3CG	SFVC784

Device	Package
XCZU3EG	SBVA484
XCZU3EG	SFVA625
XCZU3EG	SFVC784
XCZU4CG	SFVC784
XCZU4EG	SFVC784
XCZU4EV	SFVC784
XCZU5CG	SFVC784
XCZU5EG	SFVC784
XCZU5EV	SFVC784

**Additional Nanya Substrate Supplier for UltraScale & UltraScale+ Monolithic Products**
**Table 2: Phase 2 Products Affected (Body size larger than 27x27mm)**
**Kintex UltraScale+**

Device	Package
XCKU3P	FFVD900
XCKU5P	FFVD900
XCKU9P	FFVE900
XCKU11P	FFVA1156
XCKU11P	FFVD900
XCKU11P	FFVE1517
XCKU13P	FFVE900
XCKU15P	FFVA1156
XCKU15P	FFVA1760
XCKU15P	FFVE1517
XCKU15P	FFVE1760
XCKU19P	FFVB2104
XCKU19P	FFVJ1760

**Virtex UltraScale+**

Device	Package
XCVU3P	FFVC1517
XCVU23P	FSVJ1760
XCVU23P	VSVA1365

**Zynq UltraScale+**

Device	Package
XCZU4CG	FBVB900
XCZU4EG	FBVB900
XCZU4EV	FBVB900
XCZU5CG	FBVB900
XCZU5EG	FBVB900
XCZU5EV	FBVB900
XCZU6CG	FFVC900
XCZU6CG	FFVB1156
XCZU6EG	FFVC900
XCZU6EG	FFVB1156
XCZU7CG	FBVB900
XCZU7CG	FFVF1517
XCZU7CG	FFVC1156

**Zynq UltraScale+ (Con't)**

Device	Package
XCZU7EG	FBVB900
XCZU7EG	FFVC1156
XCZU7EG	FFVF1517
XCZU7EV	FBVB900
XCZU7EV	FFVC1156
XCZU7EV	FFVF1517
XCZU9CG	FFVC900
XCZU9CG	FFVB1156
XCZU9EG	FFVC900
XCZU9EG	FFVB1156
XCZU11EG	FFVC1156
XCZU11EG	FFVC1760
XCZU11EG	FFVF1517
XCZU11EG	FFVB1517
XCZU15EG	FFVC900
XCZU15EG	FFVB1156
XCZU17EG	FFVB1517
XCZU17EG	FFVC1760
XCZU17EG	FFVD1760
XCZU17EG	FFVE1924
XCZU19EG	FFVB1517
XCZU19EG	FFVC1760
XCZU19EG	FFVE1924
XCZU19EG	FFVD1760
XCZU21DR	FFVD1156
XCZU21DR	FSVD1156
XCZU25DR	FFVE1156
XCZU25DR	FFVG1517
XCZU25DR	FSVE1156
XCZU25DR	FSVG1517
XCZU27DR	FFVE1156
XCZU27DR	FFVG1517
XCZU27DR	FSVE1156
XCZU27DR	FSVG1517
XCZU28DR	FFVE1156
XCZU28DR	FFVG1517
XCZU28DR	FSVG1517

**Zynq UltraScale+ (Con't)**

Device	Package
XCZU28DR	FSVE1156
XCZU29DR	FFVF1760
XCZU29DR	FSVF1760
XCZU39DR	FFVF1760
XCZU39DR	FSVF1760
XCZU42DR	FFVE1156
XCZU42DR	FSVE1156
XCZU43DR	FFVE1156
XCZU43DR	FFVG1517
XCZU43DR	FSVE1156
XCZU43DR	FSVG1517
XCZU46DR	FFVH1760
XCZU46DR	FSVH1760
XCZU47DR	FFVE1156
XCZU47DR	FFVG1517
XCZU47DR	FSVE1156
XCZU47DR	FSVG1517
XCZU48DR	FFVE1156
XCZU48DR	FFVG1517
XCZU48DR	FSVE1156
XCZU48DR	FSVG1517
XCZU49DR	FFVF1760
XCZU49DR	FSVF1760
XCZU55DR	FFVE1156
XCZU55DR	FSVE1156
XCZU57DR	FFVE1156
XCZU57DR	FSVE1156
XCZU58DR	FFVE1156
XCZU58DR	FFVG1517
XCZU58DR	FSVE1156
XCZU58DR	FSVG1517
XCZU59DR	FFVF1760
XCZU59DR	FSVF1760
XCZU65DR	FFVE1156
XCZU65DR	FSVE1156
XCZU67DR	FFVE1156
XCZU67DR	FSVE1156


**Table 3: Phase 3 Products Affected (XA)**
**Zynq UltraScale+**

Device	Package
XAZU2EG	SBVA484
XAZU2EG	SFVA625
XAZU2EG	SFVC784
XAZU3EG	SBVA484
XAZU3EG	SFVA625
XAZU3EG	SFVC784

Device	Package
XAZU4EV	SFVC784
XAZU5EV	SFVC784
XAZU7EV	FBVB900
XAZU11EG	FFVF1517

**Table 4: Phase 4 Products Affected (20nm XC)**
**Kintex UltraScale**

Device	Package
XCKU035	FBVA676
XCKU040	FBVA676
XCKU025	FFVA1156
XCKU035	FFVA1156
XCKU040	FFVA1156
XCKU060	FFVA1156

## Key Dates and Ordering Information

Xilinx will begin to ship products with Nanya substrate as listed in the phases described below:

**Phase 1:** Starting by **Feb 1<sup>st</sup>, 2021** for Xilinx UltraScale+ devices listed in [Table 1](#)

**Phase 2:** Starting by **May 1<sup>st</sup>, 2021** for Xilinx UltraScale+ devices listed in [Table 2](#)

**Phase 3:** Starting by **June 20<sup>th</sup>, 2021** for Xilinx UltraScale+ devices listed in [Table 3](#)

**Phase 4:** Starting by **June 20<sup>th</sup>, 2021** for Xilinx UltraScale devices listed in [Table 4](#)

## Qualification Data

Qualification data is available upon request.

## Required Action

Acknowledgement required within 30 days of receipt of this notice. No feedback or response of the PCN within 30 days constitutes acceptance of the change. For additional information or questions, please contact your Xilinx sales representative.

**Important Notice:** Xilinx Customer Notifications (XCNs, XDNs, and Quality Alerts) can be delivered via e-mail alerts sent by the Support website (<http://www.xilinx.com/support>). Register today and personalize your "Documentation and Design Advisory Alerts" area to include Customer Notifications. Xilinx Support provides many benefits, including the ability to receive alerts for new and updated information about specific products, as well as alerts for other publications such as data sheets, errata, application notes, etc. For information on how to sign up, refer to [Xilinx Answer Record 18683](#).

## Revision History

The following table shows the revision history for this document.

Date	Version	Revision
11/30/2020	1.0	Initial release.
11/30/2020	1.1	Updated <a href="#">Table 1</a> .
12/14/2020	1.2	Updated <a href="#">Table 1</a> and <a href="#">Table 2</a> .
03/22/2021	1.3	Added <a href="#">Table 3</a> with XA products. Updated Phase 2 dates.
05/10/2021	1.4	Added <a href="#">Table 4</a> with 20nm XC products.

## Notice of Disclaimer

The information disclosed to you hereunder (the "Materials") is provided solely for the selection and use of Xilinx products. To the maximum extent permitted by applicable law: (1) Materials are made available "AS IS" and with all faults, Xilinx hereby DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE; and (2) Xilinx shall not be liable (whether in contract or tort, including negligence, or under any other theory of liability) for any loss or damage of any kind or nature related to, arising under, or in connection with, the Materials (including your use of the Materials), including for any direct, indirect, special, incidental, or consequential loss or damage (including loss of data, profits, goodwill, or any type of loss or damage suffered as a result of any action brought by a third party) even if such damage or loss was reasonably foreseeable or Xilinx had been advised of the possibility of the same. Xilinx assumes no obligation to correct any errors contained in the Materials or to notify you of updates to the Materials or to product specifications. You may not reproduce, modify, distribute, or publicly display the Materials without prior written consent. Certain products are subject to the terms and conditions of Xilinx's limited warranty, please refer to Xilinx's Terms of Sale which can be viewed at <http://www.xilinx.com/legal.htm#tos>; IP cores may be subject to warranty and support terms contained in a license issued to you by Xilinx. Xilinx products are not designed or intended to be fail-safe or for use in any application requiring fail-safe performance; you assume sole risk and liability for use of Xilinx products in such critical applications, please refer to Xilinx's Terms of Sale which can be viewed at <http://www.xilinx.com/legal.htm#tos>.

## OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.