

FMMTL618TC Datasheet



www.digi-electronics.com

<https://www.DiGi-Electronics.com>

DiGi Electronics Part Number	FMMTL618TC-DG
Manufacturer	Diodes Incorporated
Manufacturer Product Number	FMMTL618TC
Description	TRANS NPN 20V 1.25A SOT23-3
Detailed Description	Bipolar (BJT) Transistor NPN 20 V 1.25 A 195MHz 50 0 mW Surface Mount SOT-23-3



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.

Purchase and inquiry

Manufacturer Product Number:

FMMTL618TC

Series:

-

Transistor Type:

NPN

Voltage - Collector Emitter Breakdown (Max):

20 V

Current - Collector Cutoff (Max):

10nA

Power - Max:

500 mW

Operating Temperature:

-55°C ~ 150°C (TJ)

Package / Case:

TO-236-3, SC-59, SOT-23-3

Base Product Number:

FMMTL618

Manufacturer:

Diodes Incorporated

Product Status:

Obsolete

Current - Collector (Ic) (Max):

1.25 A

Vce Saturation (Max) @ Ib, Ic:

350mV @ 200mA, 2A

DC Current Gain (hFE) (Min) @ Ic, Vce:

250 @ 500mA, 2V

Frequency - Transition:

195MHz

Mounting Type:

Surface Mount

Supplier Device Package:

SOT-23-3

Environmental & Export classification

RoHS Status:

ROHS3 Compliant

REACH Status:

REACH Unaffected

HTSUS:

8541.21.0075

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

SOT23 NPN SILICON PLANAR HIGH GAIN MEDIUM POWER TRANSISTOR

FMMTL618


ISSUE 1 – NOVEMBER 1997

FEATURES

Very low equivalent on-resistance; $R_{CE(sat)}=140m\Omega$ at 1.25A

COMPLEMENTARY TYPE – FMMTL718

PARTMARKING DETAIL – L68



ABSOLUTE MAXIMUM RATINGS.

PARAMETER	SYMBOL	VALUE	UNIT
Collector-Base Voltage	V_{CBO}	60	V
Collector-Emitter Voltage	V_{CEO}	20	V
Emitter-Base Voltage	V_{EBO}	5	V
Continuous Collector Current	I_C	1.25	A
Peak Pulse Current	I_{CM}	4	A
Base Current	I_B	200	mA
Power Dissipation at $T_{amb}=25^{\circ}C$	P_{tot}	500	mW
Operating and Storage Temperature Range	$T_j; T_{stg}$	-55 to +150	$^{\circ}C$

FMMTL618


ELECTRICAL CHARACTERISTICS (at $T_{amb} = 25^{\circ}\text{C}$).

PARAMETER	SYMBOL	MIN.	TYP.	MAX.	UNIT	CONDITIONS.
Collector-Base Breakdown Voltage	$V_{(BR)CBO}$	60	105		V	$I_C=100\mu\text{A}$
Collector-Emitter Breakdown Voltage	$V_{(BR)CEO}$	20	30		V	$I_C=10\text{mA}^*$
Emitter-Base Breakdown Voltage	$V_{(BR)EBO}$	5	8.5		V	$I_E=100\mu\text{A}$
Collector Cut-Off Current	I_{CBO}			10	nA	$V_{CE}=16\text{V}$
Emitter Cut-Off Current	I_{EBO}			10	nA	$V_{EB}=4\text{V}$
Collector Cut-Off Current	I_{CES}			10	nA	$V_{CE}=16\text{V}$
Collector-Emitter Saturation Voltage	$V_{CE(sat)}$		18 80 130 170 260	35 160 200 280 350	mV mV mV mV mV	$I_C=100\text{mA}, I_B=10\text{mA}^*$ $I_C=500\text{mA}, I_B=25\text{mA}^*$ $I_C=1\text{A}, I_B=100\text{mA}^*$ $I_C=1.25\text{A}, I_B=100\text{mA}^*$ $I_C=2\text{A}, I_B=200\text{mA}^*$
Base-Emitter Saturation Voltage	$V_{BE(sat)}$		1000	1100	mV	$I_C=1.25\text{A}, I_B=100\text{mA}^*$
Base-Emitter Turn On Voltage	$V_{BE(on)}$		850	1000	mV	$I_C=1.25\text{A}, V_{CE}=2\text{V}^*$
Static Forward Current Transfer Ratio	h_{FE}	200 300 250 200 100 50	400 440 400 300 190 100			$I_C=10\text{mA}, V_{CE}=2\text{V}$ $I_C=200\text{mA}, V_{CE}=2\text{V}^*$ $I_C=500\text{mA}, V_{CE}=2\text{V}^*$ $I_C=1\text{A}, V_{CE}=2\text{V}^*$ $I_C=2\text{A}, V_{CE}=2\text{V}^*$ $I_C=3\text{A}, V_{CE}=2\text{V}^*$
Transition Frequency	f_T		195		MHz	$I_C=50\text{mA}, V_{CE}=10\text{V}$ $f=100\text{MHz}$
Collector-Base Breakdown Voltage	C_{obo}		9	12	pF	$V_{CB}=10\text{V}, f=1\text{MHz}$
Switching times	t_{on} t_{off}		72 388		ns ns	$I_C=1\text{A}, V_{CC}=10\text{V}$ $I_{B1}=-I_{B2}=10\text{mA}$

*Measured under pulsed conditions. Pulse width=300 μs . Duty cycle $\leq 2\%$

FMMTL618

TYPICAL CHARACTERISTICS



OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we strictly control the quality of products and services. Welcome your RFQ to

Email: Info@DiGi-Electronics.com



Tel: +00 852-30501935

RFQ Email: Info@DiGi-Electronics.com

DiGi is a global authorized distributor of electronic components.