

# 04025A5R0CAT2A Datasheet

[www.digi-electronics.com](http://www.digi-electronics.com)



<https://www.DiGi-Electronics.com>

|                              |   |
|------------------------------|---|
| DiGi Electronics Part Number | 04025A5R0CAT2A-DG   |
| Manufacturer                 | <a href="#">KYOCERA AVX</a>   |
| Manufacturer Product Number  | 04025A5R0CAT2A  |
| Description                  | CAP CER 5PF 50V NP0 0402  |
| Detailed Description         | 5 pF $\pm$ 0.25pF 50V Ceramic Capacitor COG, NP0 0402 (1005 Metric) |

This model 04025A5R0CAT2A is available at DiGi Electronics.

DiGi Electronics offers a global database of semiconductor and electronic component datasheets.

We welcome your inquiries regarding pricing, lead time, or other product-related questions.

 [Request a Quote](#)

 [Datasheet Search](#)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.

## Purchase and inquiry

Manufacturer Product Number:

04025A5R0CAT2A

Series:

-

Capacitance:

5 pF

Voltage - Rated:

50V

Operating Temperature:

-55°C ~ 125°C

Ratings:

-

Failure Rate:

-

Package / Case:

0402 (1005 Metric)

Height - Seated (Max):

-

Lead Spacing:

-

Manufacturer:

KYOCERA AVX

Product Status:

Active

Tolerance:

±0.25pF

Temperature Coefficient:

COG, NPO

Features:

-

Applications:

General Purpose

Mounting Type:

Surface Mount, MLCC

Size / Dimension:

0.039" L x 0.020" W (1.00mm x 0.50mm)

Thickness (Max):

0.022" (0.56mm)

Lead Style:

-

## Environmental & Export classification

RoHS Status:

ROHS3 Compliant

REACH Status:

REACH Unaffected

HTSUS:

8532.24.0020

Moisture Sensitivity Level (MSL):

1 (Unlimited)

ECCN:

EAR99

# COG (NP0) Dielectric

## General Specifications



COG (NP0) is the most popular formulation of the “temperature-compensating,” EIA Class I ceramic materials. Modern COG (NP0) formulations contain neodymium, samarium and other rare earth oxides.



COG (NP0) ceramics offer one of the most stable capacitor dielectrics available. Capacitance change with temperature is  $0 \pm 30\text{ppm}/^\circ\text{C}$  which is less than  $\pm 0.3\%$  C from  $-55^\circ\text{C}$  to  $+125^\circ\text{C}$ . Capacitance drift or hysteresis for COG (NP0) ceramics is negligible at less than  $\pm 0.05\%$  versus up to  $\pm 2\%$  for films. Typical capacitance change with life is less than  $\pm 0.1\%$  for COG (NP0), one-fifth that shown by most other dielectrics.

### PART NUMBER (SEE PAGE 4 FOR COMPLETE PART NUMBER EXPLANATION)




|                          |  |                                    |  |  |   |   |   |   |
|--------------------------|--|------------------------------------|--|--|---|---|---|---|
| <b>0805</b>              | <b>5</b>   | <b>A</b>                           | <b>101</b>   | <b>J</b>   | <b>A</b>                                  | <b>T</b>                                    | <b>2</b>  | <b>A</b>                                |
| <b>Size</b><br>(L" x W") | <b>Voltage</b><br>4= 4.0V<br>6= 6.3v<br>Z= 10v<br>Y=16V<br>3=25V<br>5= 50V<br>1=100V<br>2=200v<br>V=250v<br>7=500v | <b>Dielectric</b><br>COG (NP0) = A | <b>Capacitance Code (In pF)</b><br>2 Sig. Digits + Number of Zeros | <b>Capacitance Tolerance</b><br>B = $\pm 10$ pF (<10pF)<br>C = $\pm 25$ pF (<10pF)<br>D = $\pm 50$ pF (<10pF)<br>F = $\pm 1\%$ ( $\geq 10$ pF)<br>G = $\pm 2\%$ ( $\geq 10$ pF)<br>J = $\pm 5\%$<br>K = $\pm 10\%$ | <b>Failure Rate</b><br>A = Not Applicable | <b>Terminations</b><br>T = Plated Ni and Sn | <b>Packaging</b><br>2 = 7" Reel<br>4 = 13" Reel<br>U = 4mm TR (01005) | <b>Special Code</b><br>A = Std. Product |

**Contact Factory For Multiples**



# COG (NP0) Dielectric

## Specifications and Test Methods

| Parameter/Test                 |                       | NP0 Specification Limits  | Measuring Conditions   |                    |
|--------------------------------|-----------------------|---|--|--------------------|
| Operating Temperature Range    |                       | -55°C to +125°C   | Temperature Cycle Chamber  |                    |
| Capacitance                    |                       | Within specified tolerance  | Freq.: 1.0 MHz $\pm$ 10% for cap $\leq$ 1000 pF<br>1.0 kHz $\pm$ 10% for cap $>$ 1000 pF<br>Voltage: 1.0Vrms $\pm$ .2V   |                    |
| Q                              |                       | $<$ 30 pF: $Q \geq 400 + 20 \times \text{Cap Value}$<br>$\geq$ 30 pF: $Q \geq 1000$                         |  |                    |
| Insulation Resistance          |                       | 10,000M $\Omega$ or 500M $\Omega$ - $\mu$ F,<br>whichever is less   | Charge device with rated voltage for 60 $\pm$ 5 secs<br>@ room temp/humidity   |                    |
| Dielectric Strength            |                       | No breakdown or visual defects  | Charge device with 250% of rated voltage for 1-5 seconds, w/charge and discharge current limited to 50 mA (max)<br>Note: Charge device with 150% of rated voltage for 500V devices.  |                    |
| Resistance to Flexure Stresses | Appearance            | No defects  | Deflection: 2mm<br>Test Time: 30 seconds<br>1mm/sec<br>   |                    |
|                                | Capacitance Variation | $\pm$ 5% or $\pm$ .5 pF, whichever is greater   |  |                    |
|                                | Q                     | Meets Initial Values (As Above)   |  |                    |
|                                | Insulation Resistance | $\geq$ Initial Value $\times$ 0.3   |  |                    |
| Solderability                  |                       | $\geq$ 95% of each terminal should be covered with fresh solder   | Dip device in eutectic solder at 230 $\pm$ 5°C for 5.0 $\pm$ 0.5 seconds   |                    |
| Resistance to Solder Heat      | Appearance            | No defects, $<$ 25% leaching of either end terminal   | Dip device in eutectic solder at 260°C for 60sec- onds. Store at room temperature for 24 $\pm$ 2 hours before measuring electrical properties.   |                    |
|                                | Capacitance Variation | $\leq$ $\pm$ 2.5% or $\pm$ .25 pF, whichever is greater   |  |                    |
|                                | Q                     | Meets Initial Values (As Above)   |  |                    |
|                                | Insulation Resistance | Meets Initial Values (As Above)   |  |                    |
|                                | Dielectric Strength   | Meets Initial Values (As Above)   |  |                    |
| Thermal Shock                  | Appearance            | No visual defects   | Step 1: -55°C $\pm$ 2°   | 30 $\pm$ 3 minutes |
|                                | Capacitance Variation | $\leq$ $\pm$ 2.5% or $\pm$ .25 pF, whichever is greater   | Step 2: Room Temp  | $\leq$ 3 minutes   |
|                                | Q                     | Meets Initial Values (As Above)   | Step 3: +125°C $\pm$ 2°  | 30 $\pm$ 3 minutes |
|                                | Insulation Resistance | Meets Initial Values (As Above)   | Step 4: Room Temp  | $\leq$ 3 minutes   |
|                                | Dielectric Strength   | Meets Initial Values (As Above)   | Repeat for 5 cycles and measure after 24 hours at room temperature   |                    |
| Load Life                      | Appearance            | No visual defects   | Charge device with twice rated voltage in test chamber set at 125°C $\pm$ 2°C for 1000 hours (+48, -0).<br><br>Remove from test chamber and stabilize at room temperature for 24 hours before measuring.                               |                    |
|                                | Capacitance Variation | $\leq$ $\pm$ 3.0% or $\pm$ .3 pF, whichever is greater  |  |                    |
|                                | Q<br>(C=Nominal Cap)  | $\geq$ 30 pF: $Q \geq 350$<br>$\geq$ 10 pF, $<$ 30 pF: $Q \geq 275 + 5C/2$<br>$<$ 10 pF: $Q \geq 200 + 10C$ |  |                    |
|                                | Insulation Resistance | $\geq$ Initial Value $\times$ 0.3 (See Above)   |  |                    |
| Load Humidity                  | Appearance            | No visual defects   | Store in a test chamber set at 85°C $\pm$ 2°C/ 85% $\pm$ 5% relative humidity for 1000 hours (+48, -0) with rated voltage applied.<br><br>Remove from chamber and stabilize at room temperature for 24 $\pm$ 2 hours before measuring. |                    |
|                                | Capacitance Variation | $\leq$ $\pm$ 5.0% or $\pm$ .5 pF, whichever is greater  |  |                    |
|                                | Q                     | $\geq$ 30 pF: $Q \geq 350$<br>$\geq$ 10 pF, $<$ 30 pF: $Q \geq 275 + 5C/2$<br>$<$ 10 pF: $Q \geq 200 + 10C$ |  |                    |
|                                | Insulation Resistance | $\geq$ Initial Value $\times$ 0.3 (See Above)   |  |                    |
|                                | Dielectric Strength   | Meets Initial Values (As Above)   |  |                    |

# COG (NP0) Dielectric

## Capacitance Range

PREFERRED SIZES ARE SHADED

| SIZE         | 0101*       | 0201                        |      |    | 0402                        |      |    | 0603                        |      |    |     | 0805                        |      |    |    |     | 1206                        |      |    |    |    |     |     |     |     |   |   |
|--------------|-------------|-----------------------------|------|----|-----------------------------|------|----|-----------------------------|------|----|-----|-----------------------------|------|----|----|-----|-----------------------------|------|----|----|----|-----|-----|-----|-----|---|---|
| Soldering    | Reflow Only | Reflow Only                 |      |    | Reflow/Wave                 |      |    | Reflow/Wave                 |      |    |     | Reflow/Wave                 |      |    |    |     | Reflow/Wave                 |      |    |    |    |     |     |     |     |   |   |
| Packaging    | All Paper   | All Paper                   |      |    | All Paper                   |      |    | All Paper                   |      |    |     | Paper/Embossed              |      |    |    |     | Paper/Embossed              |      |    |    |    |     |     |     |     |   |   |
| (L) Length   | mm (in.)    | 0.60 ± 0.03 (0.024 ± 0.001) |      |    | 1.00 ± 0.10 (0.040 ± 0.004) |      |    | 1.60 ± 0.15 (0.063 ± 0.006) |      |    |     | 2.01 ± 0.20 (0.079 ± 0.008) |      |    |    |     | 3.20 ± 0.20 (0.126 ± 0.008) |      |    |    |    |     |     |     |     |   |   |
| (W) Width    | mm (in.)    | 0.30 ± 0.03 (0.011 ± 0.001) |      |    | 0.50 ± 0.10 (0.020 ± 0.004) |      |    | 0.81 ± 0.15 (0.032 ± 0.006) |      |    |     | 1.25 ± 0.20 (0.049 ± 0.008) |      |    |    |     | 1.60 ± 0.20 (0.063 ± 0.008) |      |    |    |    |     |     |     |     |   |   |
| (t) Terminal | mm (in.)    | 0.15 ± 0.05 (0.006 ± 0.002) |      |    | 0.25 ± 0.15 (0.010 ± 0.006) |      |    | 0.35 ± 0.15 (0.014 ± 0.006) |      |    |     | 0.50 ± 0.25 (0.020 ± 0.010) |      |    |    |     | 0.50 ± 0.25 (0.020 ± 0.010) |      |    |    |    |     |     |     |     |   |   |
| WVDC         |             | 16                          | 25   | 50 | 16                          | 25   | 50 | 16                          | 25   | 50 | 100 | 200                         | 16   | 25 | 50 | 100 | 200                         | 250  | 16 | 25 | 50 | 100 | 200 | 250 | 500 |   |   |
| Cap (pF)     | 0.5         | A                           | A    | C  | C                           | C    | G  | G                           | G    | G  |     | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1.0         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1.2         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1.5         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1.8         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 2.2         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 2.7         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 3.3         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 3.9         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 4.7         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 5.6         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 6.8         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 8.2         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | J                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 10          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 12          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 15          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 18          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 22          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 27          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 33          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 39          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 47          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 56          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 68          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 82          | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 100         | B                           | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 120         |                             | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 150         |                             | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 180         |                             | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | J                           | J    | J  | J  | J  | J   | J   | J   | J   | J |   |
|              | 220         |                             | A    | A  | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 270         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 330         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 390         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 470         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 560         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 680         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 750         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 820         |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1000        |                             |      |    | C                           | C    | C  | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | N                           | N    | N  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1200        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | P                           | P    | P  | J  | J  | J   | J   | J   | J   | J |   |
|              | 1500        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | P                           | P    | P  | J  | J  | J   | J   | M   | Q   | P | P |
|              | 1800        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | J    | J  | J  | J   | P                           | P    | P  | J  | J  | M   | P   | Q   | P   | P | P |
|              | 2200        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | P    | P  | P  | P   | P                           | P    | P  | J  | J  | M   | P   | Q   | P   | P | P |
|              | 2700        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | P    | P  | P  | P   | P                           | P    | P  | J  | J  | M   | P   | Q   | P   | P | P |
|              | 3300        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | P    | P  | P  | P   | P                           | P    | P  | J  | J  | M   | P   | Q   | X   | P | P |
|              | 3900        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | P    | P  | P  | P   | P                           | P    | P  | J  | J  | M   | P   | X   | X   | X | X |
|              | 4700        |                             |      |    |                             |      |    | G                           | G    | G  | G   | G                           | P    | P  | P  | P   | P                           | P    | P  | J  | J  | M   | P   | X   | X   | X | X |
|              | 5600        |                             |      |    |                             |      |    |                             |      |    |     |                             | P    | P  | P  |     |                             |      | J  | J  | M  | P   | X   | X   | X   | X |   |
|              | 6800        |                             |      |    |                             |      |    |                             |      |    |     |                             | P    | P  | P  |     |                             |      | M  | M  | M  | P   | X   | X   | X   | X |   |
|              | 8200        |                             |      |    |                             |      |    |                             |      |    |     |                             | P    | P  | P  |     |                             |      | P  | P  | P  | P   | X   | X   |     |   |   |
| Cap (µF)     | 0.010       |                             |      |    |                             |      |    |                             |      |    |     |                             | P    | P  | P  |     |                             |      | P  | P  | P  | P   | X   | X   |     |   |   |
|              | 0.012       |                             |      |    |                             |      |    |                             |      |    |     |                             | P    | P  | P  |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.015       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.018       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.022       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.027       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.033       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.039       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.047       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.068       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.082       |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
|              | 0.1         |                             |      |    |                             |      |    |                             |      |    |     |                             |      |    |    |     |                             |      | X  | X  | X  | X   |     |     |     |   |   |
| WVDC         |             | 16                          | 25   | 50 | 16                          | 25   | 50 | 16                          | 25   | 50 | 100 | 200                         | 16   | 25 | 50 | 100 | 200                         | 250  | 16 | 25 | 50 | 100 | 200 | 250 | 500 |   |   |
| SIZE         |             | 0101*                       | 0201 |    |                             | 0402 |    |                             | 0603 |    |     |                             | 0805 |    |    |     |                             | 1206 |    |    |    |     |     |     |     |   |   |



| Letter         | A            | B            | C            | E            | G            | J            | K            | M            | N            | P            | Q            | X            | Y            | Z            |
|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Max. Thickness | 0.33 (0.013) | 0.22 (0.009) | 0.56 (0.022) | 0.71 (0.028) | 0.90 (0.035) | 0.94 (0.037) | 1.02 (0.040) | 1.27 (0.050) | 1.40 (0.055) | 1.52 (0.060) | 1.78 (0.070) | 2.29 (0.090) | 2.54 (0.100) | 2.79 (0.110) |
|                | PAPER        |              |              |              |              |              | EMBOSSED     |              |              |              |              |              |              |              |



# COG (NP0) Dielectric Capacitance Range

PREFERRED SIZES ARE SHADED

| SIZE         | 1210                           |    |     |     |     | 1812                           |    |     |     |     | 1825                           |     |     | 2220                           |     |     | 2225                           |     |     |
|--------------|--------------------------------|----|-----|-----|-----|--------------------------------|----|-----|-----|-----|--------------------------------|-----|-----|--------------------------------|-----|-----|--------------------------------|-----|-----|
| Soldering    | Reflow Only                    |    |     |     |     | Reflow Only                    |    |     |     |     | Reflow Only                    |     |     | Reflow Only                    |     |     | Reflow Only                    |     |     |
| Packaging    | Paper/Embossed                 |    |     |     |     | All Embossed                   |    |     |     |     | All Embossed                   |     |     | All Embossed                   |     |     | All Embossed                   |     |     |
| (L) Length   | 3.20 ± 0.20<br>(0.126 ± 0.008) |    |     |     |     | 4.50 ± 0.30<br>(0.177 ± 0.012) |    |     |     |     | 4.50 ± 0.30<br>(0.177 ± 0.012) |     |     | 5.70 ± 0.40<br>(0.225 ± 0.016) |     |     | 5.72 ± 0.25<br>(0.225 ± 0.010) |     |     |
| (W) Width    | 2.50 ± 0.20<br>(0.098 ± 0.008) |    |     |     |     | 3.20 ± 0.20<br>(0.126 ± 0.008) |    |     |     |     | 6.40 ± 0.40<br>(0.252 ± 0.016) |     |     | 5.00 ± 0.40<br>(0.197 ± 0.016) |     |     | 6.35 ± 0.25<br>(0.250 ± 0.010) |     |     |
| (t) Terminal | 0.50 ± 0.25<br>(0.020 ± 0.010) |    |     |     |     | 0.61 ± 0.36<br>(0.024 ± 0.014) |    |     |     |     | 0.61 ± 0.36<br>(0.024 ± 0.014) |     |     | 0.64 ± 0.39<br>(0.025 ± 0.015) |     |     | 0.64 ± 0.39<br>(0.025 ± 0.015) |     |     |
| WVDC         | 25                             | 50 | 100 | 200 | 500 | 25                             | 50 | 100 | 200 | 500 | 50                             | 100 | 200 | 50                             | 100 | 200 | 50                             | 100 | 200 |
| Cap (pF)     | 3.9                            |    |     |     |     |                                |    |     |     |     |                                |     |     |                                |     |     |                                |     |     |
|              | 4.7                            |    |     |     |     |                                |    |     |     |     |                                |     |     |                                |     |     |                                |     |     |
|              | 5.6                            |    |     |     |     |                                |    |     |     |     |                                |     |     |                                |     |     |                                |     |     |
|              | 6.8                            |    |     |     |     |                                |    |     |     |     |                                |     |     |                                |     |     |                                |     |     |
|              | 8.2                            |    |     |     |     |                                |    |     |     |     |                                |     |     |                                |     |     |                                |     |     |
|              | 10                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 12                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 15                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 18                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 22                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 27                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 33                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 39                             | M  | M   | M   | M   | M                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 47                             | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 56                             | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 68                             | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 82                             | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 100                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 120                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 150                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 180                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 220                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 270                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 330                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 390                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 470                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 560                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 680                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 820                            | P  | P   | P   | P   | P                              | P  | P   | P   | P   |                                |     |     |                                |     |     |                                |     |     |
|              | 1000                           | P  | P   | P   | P   | P                              | P  | P   | P   | P   | M                              | M   | M   |                                |     |     | M                              | M   | P   |
|              | 1200                           | P  | P   | P   | P   | P                              | P  | P   | P   | P   | M                              | M   | M   |                                |     |     | M                              | M   | P   |
|              | 1500                           | P  | P   | P   | P   | P                              | P  | P   | P   | P   | M                              | M   | M   |                                |     |     | M                              | M   | P   |
|              | 1800                           | P  | P   | P   | P   | P                              | P  | P   | P   | P   | M                              | M   | M   |                                |     |     | M                              | M   | P   |
|              | 2200                           | P  | P   | P   | P   | P                              | P  | P   | P   | P   | X                              | X   | M   |                                |     |     | M                              | M   | P   |
|              | 2700                           | P  | P   | P   | P   | P                              | P  | P   | P   | Q   | X                              | X   | M   |                                |     |     | M                              | M   | P   |
|              | 3300                           | P  | P   | P   | P   | P                              | P  | P   | P   | Q   | X                              | X   | X   |                                |     | X   | M                              | M   | P   |
|              | 3900                           | P  | P   | P   | P   | P                              | P  | P   | P   | Q   | X                              | X   | X   |                                |     | X   | M                              | M   | P   |
|              | 4700                           | P  | P   | P   | P   | P                              | P  | P   | P   | Y   | X                              | X   | X   |                                | X   | X   | M                              | M   | P   |
|              | 5600                           | P  | P   | P   | P   | P                              | P  | P   | P   | Y   | X                              | X   | X   |                                | X   | X   | M                              | M   | P   |
|              | 6800                           | P  | P   | P   | X   | X                              | P  | P   | Q   | Q   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | P   |
|              | 8200                           | P  | P   | P   | X   | X                              | P  | P   | Q   | Q   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | P   |
| Cap (µF)     | 0.010                          | P  | P   | X   | X   | X                              | P  | P   | Q   | Q   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | P   |
|              | 0.012                          | X  | X   | X   | X   | X                              | P  | P   | Q   | X   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | P   |
|              | 0.015                          | X  | X   | X   | Z   | Z                              | P  | P   | Q   | X   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | Y   |
|              | 0.018                          | X  | X   | Z   | Z   |                                | P  | P   | X   | X   | Y                              | X   | X   | X                              | X   | X   | M                              | M   | Y   |
|              | 0.022                          | X  | X   | Z   | Z   |                                | P  | P   | X   | X   |                                | X   | X   | X                              | X   | X   | M                              | Y   | Y   |
|              | 0.027                          | X  | Z   | Z   | Z   |                                | Q  | X   | X   | Z   |                                | X   | X   | Y                              | X   | X   | P                              | Y   | Y   |
|              | 0.033                          | X  | Z   | Z   | Z   |                                | Q  | X   | X   | Z   |                                | X   | X   |                                | X   | X   | X                              | Y   | Y   |
|              | 0.039                          | Z  | Z   | Z   |     |                                | X  | X   | Z   | Z   |                                | X   |     |                                | Y   |     | X                              | Y   | Y   |
|              | 0.047                          | Z  | Z   | Z   |     |                                | X  | X   | Z   | Z   |                                | X   |     |                                | Y   |     | X                              | Z   |     |
|              | 0.068                          |    |     |     |     |                                | Z  | Z   | Z   |     |                                |     |     |                                | Z   |     | X                              | Z   |     |
|              | 0.082                          |    |     |     |     |                                | Z  | Z   | Z   |     |                                |     |     |                                | Z   |     | X                              | Z   |     |
|              | 0.1                            |    |     |     |     |                                | Z  | Z   | Z   |     |                                |     |     |                                | Z   |     | Z                              | Z   |     |
| WVDC         | 25                             | 50 | 100 | 200 | 500 | 25                             | 50 | 100 | 200 | 500 | 50                             | 100 | 200 | 50                             | 100 | 200 | 50                             | 100 | 200 |
| SIZE         | 1210                           |    |     |     |     | 1812                           |    |     |     |     | 1825                           |     |     | 2220                           |     |     | 2225                           |     |     |



| Letter         | A               | B               | C               | E               | G               | J               | K               | M               | N               | P               | Q               | X               | Y               | Z               |
|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Max. Thickness | 0.33<br>(0.013) | 0.22<br>(0.009) | 0.56<br>(0.022) | 0.71<br>(0.028) | 0.90<br>(0.035) | 0.94<br>(0.037) | 1.02<br>(0.040) | 1.27<br>(0.050) | 1.40<br>(0.055) | 1.52<br>(0.060) | 1.78<br>(0.070) | 2.29<br>(0.090) | 2.54<br>(0.100) | 2.79<br>(0.110) |
|                | PAPER           |                 |                 |                 |                 |                 | EMBOSSSED       |                 |                 |                 |                 |                 |                 |                 |

## OUR CERTIFICATE

DiGi provide top-quality products and perfect service for customer worldwide through standardization, technological innovation and continuous improvement. DiGi through third-party certification, we stricly control the quality of products and services. Welcome your RFQ to

Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)



Tel: +00 852-30501935

RFQ Email: [Info@DiGi-Electronics.com](mailto:Info@DiGi-Electronics.com)

DiGi is a global authorized distributor of electronic components.